



**File Name:** Canon vixia hv40 hd hdv camcorder manual.pdf

**Size:** 3629 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 22 May 2019, 15:44 PM

**Rating:** 4.6/5 from 767 votes.

# Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA  
Privacy - Terms

## Book Descriptions:

# Canon vixia hv40 hd hdv camcorder manual



This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started. The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size This limited warranty is only effective upon presentation of your Bill of Sale or other proof of purchase. The Equipment is warranted under normal, noncommercial, personal use, against defective materials or workmanship as follows Parts Defective parts will be exchanged for new parts or comparable rebuilt parts for a period of ONE YEAR from the date of original purchase, except for a defective Video Head, which will be exchanged for a period of three months from the date of purchase. Labor For a period of ONE YEAR from the date of original purchase, labor will be provided free of charge by our factory service centers or designated service facilities located in the United States. When returning Equipment under this warranty, you must prepay the shipping charges, and you must enclose the Bill of Sale or other proof of purchase with a complete explanation of the problem. During the ONEYEAR warranty period, repairs will be made and the Equipment will be returnshipped to you free of charge. For repairs after the warranty period is over, you will be given an estimate of the cost of repair and an opportunity to approve or disapprove of the repair expense before it is incurred. If you approve, repairs will be made and the Equipment will be returnshipped to you. shipping charges apply. If you disapprove, we will returnship the equipment at no charge to you. <http://www.mcutech.net/upload/2020/09/160114632820463949.xml>

- **canon vixia hv40 hd hdv camcorder manual, canon vixia hv40 hd hdv camcorder manual download, canon vixia hv40 hd hdv camcorder manual pdf, canon vixia hv40 hd hdv camcorder manual free, canon vixia hv40 hd hdv camcorder manual 2017.**



Canon brand peripheral equipment and software which may be distributed with, or factory loaded on, the Equipment, are sold AS IS without warranty of any kind by Canon USA, including any implied warranty regarding merchantability or fitness for a particular purpose. The sole warranty with respect to such nonCanon brand items is given by the manufacturer or producer thereof. If the Equipment contains a hard disk drive, Canon USA recommends that data stored on that drive be duplicated or backed up to prevent its loss in the event of failure or other malfunction of such drive. Canon USA shall have no responsibility under this limited warranty for use of the Equipment in conjunction with incompatible peripheral equipment and incompatible software. In order to obtain warranty service, contact the authorized Canon retail dealer from whom you purchased the Equipment or call the CANON INFORMATION CENTER AT 1800OKCANON. You will be directed to the nearest service facility for your Equipment. This Limited Warranty covers all defects encountered in normal use of the Equipment and does not apply in the following cases This warranty does not cover units sold to rental firms, military operations, hotels, schools, hospitals or for other commercial, industrial, or institutional applications. These uses are covered only by such specific warranty as Canon may issue with such sales. This Limited Warranty does not apply to accessories or consumables for the Equipment, which are sold "AS IS", without warranty of any kind by Canon USA. Please retain this warranty card and your Bill of Sale as a permanent record of your purchase. This card is most important in order to be sure you are contacted right away should there be a safety inspection, modification or product recall under applicable laws or regulations. This limited warranty is only effective upon presentation of your Bill of Sale or other proof of purchase. [http://4cmedica.com/ficheiros\\_upload/dwd115k-manual.xml](http://4cmedica.com/ficheiros_upload/dwd115k-manual.xml)



In order to obtain warranty service, contact the authorized Canon retail dealer from whom you purchased the Equipment or call the CANON INFORMATION CENTER AT 1 — 800OKCANON. This Limited Warranty covers all defects encountered in normal use of the Equipment and does not apply in the following cases Loss or damage to the Equipment due to abuse, mishandling, accident,

improper maintenance, or failure to follow operating instructions; If the Equipment is defective as a result of leaking batteries, sand, dirt or water damage; If defects or damages are caused by the use of unauthorized parts or by service other than by Canon USAs factory service centers or authorized service facilities; This Limited Warranty does not cover cabinet exterior finish, video cassette tape, head cleanings, nor does it apply to Equipment purchased outside the United States. This warranty does not cover units sold to rental firms, military operations, hotels, schools, hospitals or for other commercial, industrial, or institutional applications. This card is most important in order to be sure you are contacted right away should there be a safety inspection, modification or product recall under applicable laws or regulations. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store It plugs directly into a power outlet without a cable. This allows for uninterrupted recording of your special events and keeps your batteries ready to go. Since the mic is powered by the camcorders power source, you remain cable free. Wind shields are included. The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models.

This case can be conveniently carried by hand or via the comfortable shoulder strap, providing convenient handsfree protection. With a CarePAK PLUS, a damaged product will be repaired to good working condition or replaced with an equivalent product. With a CarePAK PLUS, a damaged product will be repaired to good working condition or replaced with an equivalent product. For further details refer to Para mayores detalles, For further details refer to the installation guide. If such changes or modifications should be made, you could be required to stop operation of the equipment. Canon U.S.A., Inc. One Canon Plaza, Lake Success, NY 11042, U.S.A. Tel No. 5163285600 CAUTION TO PREVENT ELECTRIC SHOCK, MATCH WIDE BLADE OF PLUG TO WIDE SLOT, FULLY INSERT. Read these instructions. Keep these instructions. Heed all warnings. Follow all instructions. Do not use this apparatus near water. Servicing — Do not attempt to service this product yourself as opening or removing covers may expose you to dangerous voltage or other hazards. For areas where 120 V AC power is not used, you will need a special plug adapter. Contact your nearest Canon Service Center for further information. What is HighDefinition Video. Highdefinition video HDV allows you to record video of unparalleled high quality on regular miniDV tapes. Please read this manual carefully before you use the camcorder and retain it for future reference. Should your camcorder fail to operate correctly, refer to the Troubleshooting table Conventions Used in the Manual IMPORTANT Precautions related to the camcorder operation. Push the joystick up, down, left or right to select an item or change settings. This is helpful to avoid scenes that are too short. Tape operation Record, Record pause, Stop, Eject, Fast forward, Rewind, Playback, Playback pause, Reverse playback pause, Playback normal speed,. Charge the battery pack before use. CHARGE indicator Connect the power cord to the compact power adapter.

<http://www.raumboerse-luzern.ch/mieten/bosch-nexxt-500-series-dryer-owners-manual>

NOTES The CHARGE indicator also serves as a rough estimate of the battery charge status. Continuously on Battery fully charged. Flashes approx. To record in HDV standard we recommend using tapes specifically designed for high definition. Memory cards have front and back sides that are not interchangeable. Inserting a memory card facing the wrong direction can cause a malfunction of the camcorder. If necessary, clean the video heads Holding the lock button pressed down, set the switch to CAMERA. This is not a malfunction. About the Power Save mode To save power when the camcorder is powered by a battery pack, the camcorder will automatically shut off if left without any operations for 5 minutes 46. Failing to do so may result in permanent data loss. Do not open the memory card slot cover and do not remove the memory card. Special Playback Modes To enter most special playback modes you need to operate the buttons on the wireless controller 16. POINTS TO CHECK Stop the playback before using this function. Move the switch to memory card. Select the still image. You can use the joystick to move through the still images even if the joystick guide above does not appear on the screen. Jump the number of images selected. For details about how to select an item, refer to Using the Menus FUNC. The image stabilizer is designed to compensate for a normal degree of camcorder shake. Otherwise, change the aspect ratio of the TV manually. If you press while reviewing a DISP. This is not a selectable menu option, but rather an information item that displays the specification of the video output when the camcorder is connected to an. This menu option is usually grayed out. The camcorder automatically sets the appropriate aperture value. Use a high shutter speed to record fast moving subjects or a slow shutter speed to add motion blur, emphasizing the feel of. Do not change the position of the mode switch while recording, as the brightness of the image may change abruptly.

<https://jdlgroup.ca/images/byko-test-4500-manual.pdf>

When setting a numeric value aperture or shutter speed, the number display will flash if the aperture or shutter speed is not appropriate for the recording conditions. In such case, focus manually. Reflective surfaces Subjects with low contrast or without vertical lines Fast moving subjects Through wet windows Night scenes POINTS TO CHECK Adjust the zoom before you start the procedure. The camcorder retains the custom setting even if you turn off the camcorder. Press to save the custom image effect. Press to close the menu. FUNC. Still Image Recording Still Image Recording Options Options. Icon of the currently selected Still Image Simultaneous FUNC. The camcorder divides the picture into several areas and the light is measured in all of them to achieve the optimal exposure for the subject. You can then activate the selected function using key, without having to CUSTOM access any menu. The flash features the redeye reduction function. Options auto The flash fires automatically according to the brightness of the subject. redeye reduction, auto The assist lamp lights up to reduce the redeye effect. Consider turning it off in public places such as restaurants or theaters. Mini Video Light You can turn on the mini video light assist lamp at any time regardless of the recording program. You can display the audio level indicator while recording or playing back the tape. Manual Adjustment of the Audio Recording Level POINTS TO CHECK Mode switch If the joystick guide does not appear on screen, press . Using an External Microphone When recording in very quiet surroundings, the builtin microphone may pick up the sound of the camcorders internal machinery. In such case, we recommend using an external microphone. Push the joystick toward. while recording, then press to fade out and pause the. Erased images cannot be recovered. NOTES Protected images cannot be erased. Erasing a Single Image If the joystick guide does not appear on screen, press to display it.

<http://directalgerie.com/images/byron-glasair-manual.pdf>



FROM THE IMAGE SELECTION SCREEN Select the still image you want to protect. Press to protect the still image. Open the terminal cover to access. Connecting to a TV or VCR Connecting to a TV or VCR Terminal COMPONENT OUT Terminal. Inserting it in the wrong direction can result in damage to the camcorder. Inserting it in the wrong direction can result in damage to the camcorder. Output connection Signal Flow Input connection Signal Flow AV terminals. POINTS TO CHECK Change the following settings as necessary before making the connections. Connected device Load a blank cassette or disc and set the device to record pause mode. This camcorder Locate the scene you wish to copy and pause the playback shortly before the scene. While recording, press pause the recording. In record pause, press resume recording. Press to stop recording. Connected device Stop the playback. IMPORTANT Depending on the analog signal sent from the connected device the input image may be distorted or not be displayed at all for example, video input that includes anomalous signals. While recording, press pause the recording. IMPORTANT Blank sections may be recorded as anomalous picture. Inserting it in the wrong direction can result in damage to the camcorder. Equipment and System Requirements A computer equipped with an IEEE1394 DV terminal or an IEEE1394 DV capture board A DV cable commercially available Video editing software The appropriate driver The standard of the video transferred depends on the standard of the original. Preparations The first time you connect the camcorder to the computer, you need to install the software and set the autolaunch setting. Connecting the Camcorder to the Printer Insert the memory card containing the still images you want to print. Observe the following precautions during printing Do not turn off the camcorder or the printer. Do not change the position of the switch. PRINT ORDER FUNC. Press The image selection screen appears.

FROM THE IMAGE SELECTION SCREEN Select the still image you want to mark with a print order. Press to set the print order. The number of copies appears in orange in the box next to the print order symbol. If you have a problem with your camcorder, refer to this checklist. Consult your dealer or a Canon Service Center if the problem persists. When using the camcorder in a room where a plasma TV is Video noise appears on the TV screen. The tape stops during record pause or playback pause. Horizontal bands appear on the screen. Pressing the playback button does not start playback. No sound from the builtin speaker. When playing back a tape recorded in HDV standard the playback is jerky or the sound stutters on and off. Image will not appear on the TV screen. Cannot record on the memory card. Memory card cannot be played back. Image cannot be erased. " " flashes in red. Printing Problem The printer is not operating even though the camcorder and printer are correctly connected. Message SET THE TIME ZONE, You have not set the time zone, date and time. This message DATE AND TIME appears each time you turn the power on until you set the time zone, date and time. Message PAPER ERROR There is a problem with the paper. READJUST TRIMMING You changed the print style after you set the trimming settings. PRINTER ERROR Cancel printing. Turn the printer off and then on again. Check the printer status. Be careful when closing the LCD panel. Do not leave the camcorder in places subject to high temperatures like the inside of a car under direct sunlight, or high humidity. Canon makes no warranties for corrupted or

lost data. Do not turn off the camcorder, disconnect the power source or remove the memory card while the CARD access indicator is flashing. Do not attach any labels or stickers on the memory card. When you erase image files or initialize the memory card, only the file allocation table is altered and the data itself is not actually deleted.

<https://assurancemaucie.com/wp-content/plugins/formcraft/file-upload/server/content/files/16272864f49cc1--breville-bakers-oven-bb250-manual.pdf>

Do not use wet type cleaning cassettes as this may damage the camcorder. Consult the Canon Service Center for information on plug adapters for overseas use. Playback on a TV Screen. FS43U II Filter Set Neutral density and MC protector filters help you to control difficult lighting conditions. This mark identifies genuine Canon video accessories. When you use Canon video equipment, we recommend Canon brand accessories or products bearing the same mark. Performance cannot be guaranteed for all miniSD cards. This camcorder supports Exif 2.2 also called "Exif Print". Exif Print is a standard for enhancing the communication between camcorders and printers. Errors and omissions excepted. For further details refer to the installation. CAUTION O REDUCE THE RISK OF ELECTRIC SHOCK The exclamation. Cleaning Unplug this product from the wall outlet before cleaning. When replacement of the power supply is required, please return it to the responsible nearest Canon Service Center and please replace it with the same type number CA570. Contact your nearest Canon Service Center for further information. About this Manual. Getting to Know the Camcorder Supplied Accessories. Components Guide. Screen Displays. Preparations Getting Started Charging the Battery Pack. inserting and Removing a Tape. inserting and Removing a Memory Card. Product Codes. Specifications. index. Trademark Acknowledgements, miniSD is a trademark of SD Card Association., Microsoft, Windows and Windows. Please read this manual carefully before you use the camcorder and retain it for future reference. Should your camcorder fail to operate correctly, refer to the Troubleshooting table Cl389. Press the battery pack softly into the battery attachment unit and slide it up Charging the Battery Pack until it clicks in place. The camcorder can be powered with a Charging will start when the battery pack or directly using the compact.

[dienlanhhaiphong247.com/upload/files/bk\\_precision\\_5460\\_manual.pdf](http://dienlanhhaiphong247.com/upload/files/bk_precision_5460_manual.pdf)

Play back the tape on the LCD display or 3 Locate the point where you want to close the LCD panel to use the begin the playback. Failing to do so may result in permanent data loss. Do not open the memory card slot cover and do not remove the memory card, Do not disconnect. This menu option is usually grayed out. Set the shutter speed value. The For recording subjects in dark places. Autofocus may not work well on the following subjects. In such case, focus manually. You can then activate the selected function using the CUSTOM key, without having to SYSTEM SETUP access any menu. You can use the built-in flash for recording still images in dark places. With the supplied USB cable and the Doing so may result in permanent data loss. After setting the trimming frame, Images not recorded with this camcorder. The camcorder malfunctions. Video noise appears on the TV When using the camcorder in a room where a TV is located, screen, keep a distance between the compact power adapter and the power or antenna cables of the TV. Clean the video heads. During playback there is video noise. Load a cassette. Pressing the playback button does not start playback. Rewind the tape. Turn the inserted. memory card over and reinsert it. Cannot record on the memory Memory card is full. Erase still images to free some space on card. This message DATE AND TIME appears each time you turn the power on until you set the time zone, date and time. READJUST TRIMMING You changed the print style after you set the trimming settings. Check the printer status. Consult the Canon Service Center for information on plug adapters for overseas use. Playback on a TV Screen. LCD backlight. LCD screen. Light metering mode. Screen displays. Lithium button battery. 23, 98 Screen markers. LP mode. Used Very Good Includes camera, battery, battery charger, av cable, usb cable, and hand strap. 90 DAY WARRANTY Please try again. Please try



again. Please choose a different delivery location.

In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Page 1 of 1 Start over Page 1 of 1 In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. For those seeking the ultimate in HD video quality, we bring a host of Canon Exclusive features you won't find anywhere else from our own 2.96 megapixel Full HD CMOS image sensor and advanced DIGIC DV II image processor, delivering breathtaking detail and the best in color reproduction, to SuperRange Optical Image Stabilization and Instant Auto Focus to give you the ultimate control demanded by High Definition. With the Genuine Canon 10x HD video zoom lens and a host of other advanced features the VIXIA HV40 is sure to be your choice in High Definition camcorders. If you wish to continue to use your existing Standard Definition equipment, the VIXIA HV40 has both SD and HD recording modes. The VIXIA HV40 is easy to use and delivers the high level of performance you've come to expect from Canon. Our vast experience with photographic and broadcast television cameras brings you the optical excellence, advanced image processing, superb performance, and the latest in technological advancements you expect. The VIXIA HV40 is the premium quality High Definition video tape camcorder for sophisticated and discerning videographers. Canon VIXIA HV40 Highlights The Image Quality of HD Video The VIXIA HV40 is the HD camcorder to go along with everything else in your HD world. It captures true 1080 High Definition resolution video in 16:9 format, using MiniDV cassette tapes. The VIXIA HV40's true 16:9 widescreen HD image is made for your HD widescreen TV. High Definition and widescreen are the future.

Be sure you invest in that future with Canon's VIXIA HV40. At the same time, the VIXIA HV40 gives you the flexibility to record in SD standard definition mode, too. That means you can enjoy the ultimate in HD video and photo quality, and still shoot SD video for viewing on your non-HD equipment. Genuine Canon 10x HD Video Lens Since 1934, Canon has been producing exceptional photographic lenses that are synonymous with unsurpassed optical performance. Because of Genuine Canon Optics, every Canon broadcast lens, 35mm film camera, digital camera and camcorder assures brilliant optical quality and the VIXIA HV40 is no exception. The VIXIA HV40 comes with an outstanding High Definition video lens a 10x HD Genuine Canon Optical zoom. It's the lens you need to record long shots of your child on the soccer field, wide shots of beautiful landscapes, and everything in between. And because it comes with three preset zoom speeds, you always get smooth, steady, professional-looking zoom shots. Super Spectra coating technology results in images with minimal flare and ghosting. Plus, the lens aspheric design reduces aberration and increases resolution, ensuring crisp, sharp video and enhancing the HD image quality. As well, a new gradation ND system gives you better exposures in bright shooting situations. Canon Exclusive Canon 2.96 megapixel Full HD CMOS Image Sensor The VIXIA HV40 features a Canon designed and manufactured CMOS image sensor. The CMOS image sensors in Canon's EOS Series Digital SLR cameras result in outstanding digital photographs. In the VIXIA HV40, the CMOS sensor reproduces high-resolution images at 1920 x 1080 resolution with Full HD information in video images. Compared to a CCD, the VIXIA HV40's CMOS's high color resolution and advanced color reproduction gives brilliant results. It also features Canon's proprietary noise reduction technologies for crisp, sharp images.

Low noise technology also means that even in dimly lit scenes, the signal from each pixel is as pure as possible, with minimal noise or other aberrations. It's the ideal sensor for HD. The VIXIA HV40 uses an RGB Primary Color Filter with Bayer Placement Pattern that separates light into red, green and blue color components. This results in vibrant images with deep, rich, accurate color and natural-looking tones similar to what you'd obtain from 3CCD camcorders. In addition, it is the Bayer

pattern that delivers sharp, high definition images without creating false colors. As an added benefit, the CMOS sensor provides outstanding image capture in low light conditions. Canon Exclusive DIGIC DV II Image Processor DIGIC DV II is the second generation of Canons exclusive DIGIC DV signal processing technology. Designed specifically for HD, DIGIC DV II ensures optimal image quality. It also ensures optimal image quality for still images, even though video and still images have different color requirements. DIGIC DV II is just another one of Canons advanced technologies that make the VIXIA HV40 an exceptional performer. Thanks to DIGIC DV II image processing, the VIXIA HV40 produces video with improved color reproduction especially in skin tones, and dark and light scenes. It also uses a hybrid noise reduction system that employs two types of noise reduction for high definition images that are crystal clear. Plus, DIGIC DV II enables improved continuous shooting of digital photographs with the VIXIA HV40. You can shoot five 3.1 Megapixel still images per second, and enjoy faster processing of your images to your memory card 1.4x normal card; 2.5x Hi Speed card. It also helps lower power consumption for longer battery life. Canon Exclusive SuperRange Optical Image Stabilization Canons innovative SuperRange OIS combines gyro and image sensors to give image stabilization through a wider range of camera motions.

Some image stabilization systems correct one type of camera motion or vibration better than another. But Canons SuperRange OIS corrects for a wide range of camcorder motion the fast vibration youd experience while recording from a moving car; the mediumspeed motion of handheld recording; and the slower motion of body sway. No matter what youre recording and how youre recording it, the VIXIA HV40s stabilization design corrects camcorder shake instantly. SuperRange OIS also delivers steady images when shooting at long focal lengths. SuperRange OIS in action In addition, SuperRange Optical Image Stabilization keeps your shot steady without a loss in image quality something that cant be said for electronic image stabilization. And image stabilization isnt just for video; you can even use it for taking sharper, clearer digital photographs with your VIXIA HV40. Thanks to Canons expertise, its easy to eliminate one of the telltale signs of amateur video and photography. Canon Exclusive Instant AF Auto Focus Since it is critical to achieve very sharp focus when shooting in High Definition, the VIXIA HV40 camcorder features Canons revolutionary Instant AF focusing system. It offers a dramatic improvement in auto focus speed and accuracy compared to traditional autofocus systems. The Instant AF feature uses an external sensor, in combination with Canons autofocus system, to help significantly decrease the time it takes to find focus, even in low light conditions. With Instant AF, its possible to get fast, accurate focusing, even when following a moving subject. Native 24p Mode This is a feature previously found only on Canons professional camcorders. Native 24p Mode allows 24 frames per second, instead of the standard 60i, to be captured and recorded. In addition, you can use the VIXIA HV40s CINE setting, which changes the color and tonal characteristics, evoking the look and feel of a movie shown in a theater.

For added flexibility, these settings can be used together or independently. Normal mode vs. Cinema mode 30p Progressive Mode Until quite recently, youd have to look to professional video cameras in order to have this sophisticated tool at your command. In addition to the standard interlaced video frame rate of 60i, you may choose to set the VIXIA HV40 to record 30p Progressive Frame Rate. This is particularly useful for footage you plan to upload to the Internet for sharing. In addition, this setting gives enhanced quality to still images captured after recording. 30p Progressive Mode is also excellent for capturing quick action shots and sporting events. 60i vs. 30p Builtin 3.1megapixel Digital Camera Canons advanced image processing technology means your HD camcorder is also a high performance digital camera capable of capturing stunning 3.1megapixel photos to a miniSD card. Its like having an HD camcorder and digital still camera all rolled into one. Whats more, the VIXIA HV40s many advanced photo features make it a camera that rivals other stateoftheart digital cameras. With Canon technology, its not just video and photos its the best of both. 2.96megapixel Full HD CMOS The same Canon Exclusive 2.96megapixel Full HD CMOS image sensor that ensures sharp, vivid HD video also gives you brilliant digital photographs. Like the CMOS image sensors in

Canons EOS Series digital SLR cameras, the VIXIA HV40s image sensor results in outstanding digital photographs. It gives an impressive resolution of 1920 x 1440 for sharp, crisp still images. Canon DIGIC DV II Image Processor The DIGIC DV II Image Processor, a Canon Exclusive, enables improved continuous shooting of digital photographs with the VIXIA HV40. You can shoot five 3.1 Megapixel still images per second, and enjoy faster processing of your images to your memory card 1.4x normal card; 2.5x Hi Speed card. Focus Features Auto Intelligent Auto Focus ensures sharp images and gives creative flexibility.

<https://www.thebiketube.com/acros-bosch-nexxt-500-plus-series-washer-repair-manual>