

Dual Xdvd1262 Manual



XDVD1262

INSTALLATION/OWNER'S MANUAL
DVD Multimedia Receiver with 6.2" Touch Screen Display



Safety Notes:

The DVD video display of the in-dash unit will not operate while the vehicle is moving. This is a safety feature to prevent driver distraction. In-dash DVD video functions will only operate when vehicle is in Park and the parking brake is engaged. It is illegal in most states for the driver to view video while the vehicle is in motion.

File Name: Dual Xdvd1262 Manual.pdf

Size: 2121 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 28 May 2019, 13:34 PM

Rating: 4.6/5 from 752 votes.

Status: AVAILABLE

Last checked: 16 Minutes ago!

In order to read or download Dual Xdvd1262 Manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dual Xdvd1262 Manual . To get started finding Dual Xdvd1262 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Dual Xdvd1262 Manual

Language Options for Sound 11. Return to Title Menu 13. Repeat Play 14. Language Options for Subtitle 15. Numeric Keyboard 16. Repeat Play 11. Numeric Keyboard 12. The first 7 setup options will be displayed on the screen. Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision Corporation. Reverse engineering or disassembly is prohibited. Manufactured under license from Dolby Laboratories. Dolby and the doubleD symbol are trademarks of Dolby Laboratories. Dual Electronics Corporation is not affiliated with Apple, Inc. Other trademarks and trade names are those of their respective owners. QUICK START GUIDE DVD Multimedia Receiver with 6.2" Touch Screen Display XDVD1262 The DVD video display of the indash unit will not operate while the vehicle is moving. This is a safety feature to prevent driver distraction. Indash DVD video functions will only operate when vehicle is in Park and the parking brake is engaged. It is illegal in most states for the driver to view video while the vehicle is in motion. Safety Notes 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 1 2 3 4 5 6 7 8 12 13 14 9 10 11 1 2 3 4 5 6 7 8 13 12 11 10 9 8 7 1 2 3 4 5 6 Remote Control TUNER Limited One Year Warranty This warranty gives you specific legal rights. You may also have other rights which vary from state to state. Dual Electronics Corp. Dual Electronics Corp. Subsequent replacement products are warranted for the balance of the original warranty period. Who is covered This warranty is extended to the original retail purchaser for products purchased from an authorized Dual dealer and used in the U.S.A. What is covered This warranty covers all defects in material and workmanship in this product. Specific license conditions and copyright notices for the software can be found via www.dualav.com. What to do

1. http://friendsoftiger.com/editor_images/data-communication-and-networking-behrouz-a-forouzan-4th-edition-solution-manual.xml

- **dual xdvd1262 manual, dual xdvd1262 manual, dual xdvd1262 manual pdf, dual xdvd1262 manual download, dual xdvd1262 manual free, dual xdvd1262 manual online.**

Before you call for service, check the troubleshooting guide in your owner's manual. No person or representative is authorized to assume for the company any other liability in connection with the sale of this product. In no event shall the company be liable for indirect, incidental or consequential damages. This Quick Start Guide gives you the basics to start using your XDVD1262. Indash DVD video functions will only operate when vehicle is in Park and the parking brake is engaged. It is illegal in most states for the driver to view video while the vehicle is in motion. Safety Notes Next Safety Notes. The DVD video display of the. Page 2 Copyright Notes. This product incorporates copyright protection technology that is protected by method claims of certain U.S. patents and other. Page 3 XDVD1262 PREPARATION. Table of Contents Page. Warning Statement..... Page 4 XDVD1262 PREPARATION Please read all instructions carefully before attempting to install or operate. Due to its technical. Page 6 XDVD1262 INSTALLATION. Preparation. Before You Start. Consult a qualified technician for instructions. Wiring Notes. Subwoofer output. The Subwoofer preamp audio output black jacket with green. Page 8 XDVD1262 OPERATION. Control Locations Page 9 XDVD1262 OPERATION Page 10 XDVD1262 OPERATION. General Operation. Press and hold for 2 seconds. Page 11 XDVD1262 OPERATION Setup Menu From the Main Menu screen, press SETUP in the bottom left corner to. Page 12 XDVD1262 OPERATION Page 13 XDVD1262 OPERATION CD Operation Page 15 XDVD1262 OPERATION Page 18 XDVD1262 OPERATION Page 19

XDVD1262 OPERATION. Viewing JPEG Images When viewing JPG images, press Area E to display onscreen JPG controls. Page 20 XDVD1262 OPERATIONMedia CompatibilityPage 23 XDVD1262 OPERATIONDVD Setup Region Management. DVD Region Management. Some DVD discs can be played only in certain. Page 25 XDVD1262 OPERATIONDVD OperationPage 28 XDVD1262 OPERATION.<http://ecopromocionales.com/userfiles/data-communication-and-networking-4th-edition-solution-manual.xml>

Operation of iPodPage 29 XDVD1262 OPERATIONPage 30 XDVD1262 OPERATIONThis warranty gives you specific legal rights. You may What to doSpecificationsPage 34 XDVD1262 OPERATION. NotesAll rights reserved. Please check your inbox, and if you can't find it, check your spam folder to make sure it didn't end up there. Please also check your spam folder. This is a safety feature to prevent driver distraction. Indash DVD video functions will only operate when vehicle is in Park and the parking brake is engaged. It is illegal in most states for the driver to view video while the vehicle is in motion. Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision Corporation. Reverse engineering or disassembly is prohibited. Dual Electronics Corporation is not affiliated with Apple, Inc. When installing this unit, the installer must connect the parking brake detect wire "Pink Lead" to the parking brake mechanism in order to make the parking brake lockout feature operable. DO NOT simply ground the parking brake detect wire to a metal portion of the vehicle.This product is only for use in vehicles with 12VDC negative ground only. Using a fuse with the wrong rating may cause the unit to malfunction. Find a safe place to park and engage the parking brake. Do not use a stiff cloth, or volatile solvents such as paint thinner and alcohol. Normal brightness will return after using the monitor for a while. The liquid crystal fluid may be hazardous to your health or fatal. If the liquid crystal fluid from the LCD contacts your body or clothing, wash it off with soap immediately. Operation is subject to the following two conditions These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures Consult a qualified technician for instructions. Refer to page 35 for details. Once connected, playback will begin automatically. Using an incorrect fuse could damage the unit. The XDVD1262 uses 1 15 amp ATC mini style fuse located on the back of the unit. Remove the battery if the remote will not be used for a month or longer. Press and hold for 2 seconds to turn the unit off. Momentarily press MUTE again to return to the previously selected volume. Pressing VOL p or VOL q while the volume is muted will also cancel the mute function. Momentarily press MUTE to return to the previous mode of operation, or press DVD or TUNER to access those modes directly. Modes of operation are indicated on the OSD On Screen Display. Optional iPod device, The unit will reset the main processor to the default settings. Select one of the seven icons across the top General, Time, Use the up and down arrow keys on the right to scroll up and down through the available submenu options. This is a safety feature to prevent driver distraction. Indash DVD video functions will only operate when vehicle is in Park and the parking brake is engaged. It is illegal in most states for the driver to view video while the vehicle is in motion. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your problem with Dual Electronics Corporation Car Stereo System XDVD1262. To start viewing the user manual Dual Electronics Corporation Car Stereo System XDVD1262 on full screen, use the button Fullscreen.

However, if you do not want to take up too much of your disk space, you can always download it in

the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Dual Electronics Corporation Car Stereo System XDVD1262 but the selected pages only. paper. If you want to quickly view the content of pages found on the following pages of the manual, you can use them. Indash DVD video functions will only operate when vehicle is in Park and the parking brake is engaged. Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision Corporation. Reverse engineering or disassembly is prohibited. Manufacture Due to its technical nature, it is highly recommended that your DUAL XDVD1262 is installed by a professional installer or an authorized dealer. This product is only for use in vehicles with 12VDC negative ground only. Refer to page 35 for details. Once connected, playback will begin automatically. Note When to insert or replace the battery, remove the battery holder. Remove the battery from the battery holder. Install the new battery. Volume Press VOL p or VOL q to increase or decrease the volume level 039. Volume Memory If the volume level is 20 when the unit is turned off, the volume level will automatically default to 20 the next time the unit is turned on. Select one of the seven icons across the top General, Time, Language, Audio, Video, Tuner and Calibration to access the submenu for that category. Use the up and down arrow keys on the right to scroll up and down through the available submenu options. Tune Frequency Down 2 Press momentarily to manually tune to a lower frequency. Press and hold to seek tune to the previous strong station. Information Display 3 Displays information such as Loudness and EQ settings.

Tune Frequency Up The stored preset station will appear next to the preset number when saved. Press SEL to access If a disc has previously been inserted and the unit has been operating in another mode, resume disc playback by selecting the DISC icon from the Main Menu screen, pressing DVD on the front panel or pressing MODE until DISC is selected. Current Mode Indicator 1 Displays current mode of operation. Elapsed Time Indicator Each touch changes speed from 2x Fast Reverse 10 to 4x to 8x to 16x to 20x then back to regular playback. Press to fast forward CD playback. Each touch changes speed from 2x Fast Forward 11 to 4x to 8x to 16x to 20x then back to regular playback. Press to go back to the previous track. Previous Track 12 Press to advance to the next track. Next Track 13 Press to display and adjust the current song number, press OK and playback of selected song will begin. Press to turn off the TFT display. Press anywhere on the touch screen TFT Screen 18 to turn the display back on. Press to step through the Repeat options RPT ONE repeats current Repeat 19 song, RPT Folder repeat. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. See All Buying Options Add to Wish List Disabling it will result in some disabled or missing features. You can still see all customer reviews for the product. Compared to other bargain brands such as Boss this blows them away. No quality issues and good user interface. Everything works as described for this unit with the exception of the ipod control. Maybe its me or my device iphone 4s but I could not get it to recognize the phone. Oh well, I just use the AUX input on the front and music plays fine although it cannot charge the phone this way. A minor inconvenience for me.

For informational purposes only, if you want to watch movies on the screen while you are driving just ground the parking safety wire. Please try again later. From the United States Please try again later. Please try again later. Please try again later. Please try again later. 78361 1.0 out of 5 stars The disappointing about the device is that it supports NO video playback from the USB drive. I am supposed to burn DVD video!! TRASH!!! Please try again later. Please try again later. Brittany 1.0 out of 5 stars Also purchased at a price I couldnt beat. Great brand also! Go Dual! Please try again later. Please try again later. Heather 2.0 out of 5 stars My previous stereo was a simple JVC double din,

color changing options, basic stereo. I can honestly say I liked the JVC more than this one. It works, the DVD player is decent but the interface is not user friendly and its confusing. Its the little features this stereo lacks that make all the difference to me. For starters, The clock is not viewable unless you hit the back button. You cant just look down at your stereo and check the time. You have to physically push the back button to a menu screen where it reads the time. When you do push the back button to check the time, it only stays on the clock for about 10 seconds, and when it switches back to the mode you were using it stops the music for about 23 seconds while it seems to load whatever you were doing before, be it listening to the radio, or your iPod. If you navigate away from the mode youre currently using at all, whether its to change the treble or bass, it stops the music. A seemingly unnecessary, frustrating issue. There is a standby mode for this stereo when you reach the menu screen. This turns off the display of the stereo without shutting off the music. A great feature for night driving, or so I thought.

This too has the same issue that only lasts for about 10 seconds, and stops the music as it attempts to reload the mode you were currently using for playback. The reception of the stereo is awful. I made a list of radio stations my friend often played in her car to preset in my stereo, and its only able to reach 3 of the 6 stations my friends stereo receives, which is a basic stereo that came with her car. While searching through the radio stations, you have to go up.10 throughout the stations until you find one you can stand. Say youre favorite station is on 100.9, and your stereo starts you off at 85.3, you hit skip, it goes to 85.13, then 85.23, then 85.33, which is frustrating and impractical to do while youre driving and trying to find your favorite station. I have an iPhone 5, and when I connected my phone via USB, it began to load, froze, glitched, and refused to load the USB screen at all, let alone play any music from the phone. However, it does show it provides power to my phone, as the lightning bolt in the battery symbol on my phone shows its being charged. The volume control on this stereo is completely off. I have the bass on the lowest setting, 5 I believe and it still rattles my speakers, unless I have the volume so low you cant really hear the music. The bass and treble completely drowns out the vocals, but the settings are limited. Anything you play from this stereo past the volume level of 7 is too loud. I would say its the equivalent of a typical car manufacturer stereos volume level of 20 or more. The owners manual is a joke. It doesnt give any information on how to navigate through the menu settings and options, or what the options mean specifically. The manuals information is limited to what the color coded wires in the connector are labeled, and what the buttons on the side of the stereo are.

When I called the 800 number listed in the manual for questions to see why my iPhone 5 wouldnt work, I was directly connected to someone who knew little information about the product. He spent 15 minutes on the phone trying to look up information on the internet, with me on the other line. Eventually he told me he would have to call me back with more information. I will be reinstalling my old JVC and attempting to return the touch screen until I can find a better replacement. This is a good stereo if you dont mind a lack of basic functionality. It does work, it plays music and the touch screen is basically responsive. It all depends on what you need in a car stereo. Please try again later. Please try again later. lilbrat 5.0 out of 5 stars Please try again later. Please try again later. Simeon 4.0 out of 5 stars Please try again later. Please try again later. Sam 5.0 out of 5 stars Please try again later. Please try again later. msjones 5.0 out of 5 stars Please try again later. Please try again later. Joshua 1.0 out of 5 stars Please try again later. Please try again later. Press TUNE nn or TUNE. Press TUNE nn or TUNE. The iPod will automatically begin playback. If a song is playing on the iPod before it is connected, it will continue to play. Refer to the table below. Press EJECT to eject the CD. The unit will change to previous mode of operation AM, FM, WB, or auxiliary input. All rights reserved. Windows Media and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and or other countries. You may also have other rights which vary from state to state. Dual Electronics Corp. Dual Electronics Corp. Press INT to play the first 10 seconds of each song. Press INT again to cancel. Press RPT to continuously repeat selected

song. Press RPT again to cancel. It is not possible to select songs in repeat mode. Please read entire manual before installation.

Before You StartGetting StartedInstall mounting sleeve into radio opening, bending tabs to secure. Remove knobs, faceplate and DIN mounting adapters from unit. Install unit into kit or radio opening from behind. Adjust rear shaft nuts toTypical DIN MountingDiagram. Antenna. Connector. GREY Rear Preamp Output. Connect to amplifier RCA Input. RCA CableBLUE Remote TurnOn. Connect to amplifier or powerConnect to vehicleRED Accessory. Connect to existing ignitionRight. LeftThe MXC22 usesCassette Mode. Tuner Mode. Auxilary Mode. Turn POWER knob clockwise to turn the unit on. Turn. POWER knob counterclockwise until a click is heardInsert a cassette to begin playback. Turn POWER knob clockwise or eject cassette toInsert a standard 3.5 mm line or headphone output plugBass Boost. Press BASS to activate and deactivate bass boostVolume. Adjust volume by turning VOL knob clockwise orBalance. Adjust balance by turning BAL knob clockwise orTuner Operation. Tuning. Turn TUNE knob to select desired station.FM stereo LED indicator iluminates during FM stereoBand. Press BAND to select between FM and AM bands. The. FM LED indicator illuminates when FM is selected. Cassette Player Operation. Insert Cassette. Insert a standard audio cassette into the cassette slot. The cassette will automatically begin playback. Eject. Press the EJECT button all the way in to stop andFast ForwardPress EJECT again to resume playback.This warranty gives you specific legal rights. You may also have other rights which vary fromDual Electronics Corp.Dual Electronics Corp.Who is covered This warranty is extendedWhat is covered This warranty covers allWhat to doCall us tollfree at 18663825476. Exclusion of Certain Damages This warrantyFM Tuner Tuning range 87.5MHz107.9MHz. AM Tuner Tuning range 530kHz170kHz. General Total system power 30 Watts Peak. Power supply 1116 VDC, negative ground. Speaker output impedance 4 ohms. Fuses 3 amp fast blow AGC,.5 amp fast blow AGC.

Design and specifications subject to change without notice. Dual Electronics Corp.Kent, WA 98032. Toll Free 18663825476All rights reserved.