



File Name: Dx 80 Manual.pdf

Size: 1857 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 4 May 2019, 22:31 PM

Rating: 4.6/5 from 844 votes.

Status: AVAILABLE

Last checked: 4 Minutes ago!

In order to read or download Dx 80 Manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dx 80 Manual . To get started finding Dx 80 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Dx 80 Manual

Thank you for choosing Cisco!. Page 3 Cisco DX70 and DX80 Administrator GuideSystem settings. 47 Appendices. 105. Page 4 Introduction Cisco DX70 and DX80 Administrator GuideD15362.01. Page 5 Cisco DX70 and DX80 Administrator GuideUser documentation and software. Page 6 Cisco DX70 and DX80 Administrator GuideDX70 and DX80 at. Page 7 Cisco DX70 and DX80 Administrator GuidePower On and Off. Page 8 Cisco DX70 and DX80 Administrator GuideLED indicatorsHow to administer the. Page 10 Cisco DX70 and DX80 Administrator GuideHow to administer the. Page 11 Cisco DX70 and DX80 Administrator GuideHow to administer the. Page 12 Cisco DX70 and DX80 Administrator GuideHow to administer the. Page 13 Configuration Cisco DX70 and DX80 Administrator GuideD15362.01. Page 14 Cisco DX70 and DX80 Administrator GuideUser administration. The default. Page 15 Cisco DX70 and DX80 Administrator GuideChange the system passphrase. Page 16 Cisco DX70 and DX80 Administrator GuideSet a PIN code. Page 17 Cisco DX70 and DX80 Administrator GuideSystem configuration. Sign in. Page 18 Cisco DX70 and DX80 Administrator GuideAdd a sign in. Page 19 Cisco DX70 and DX80 Administrator GuideManage the service certificates. Page 20 Cisco DX70 and DX80 Administrator GuideManage the list of. Page 21 Cisco DX70 and DX80 Administrator GuideSet up secure audit. Page 22 Cisco DX70 and DX80 Administrator GuideManage preinstalled certificates for. Page 23 Cisco DX70 and DX80 Administrator GuideDelete CUCM trust lists. Page 24 Cisco DX70 and DX80 Administrator GuideChange the persistency mode. Page 25 Cisco DX70 and DX80 Administrator GuideSet strong security mode. Page 26 Cisco DX70 and DX80 Administrator GuideAdjust the video quality. Page 27 Cisco DX70 and DX80 Administrator GuidePacket loss resilience . Page 28 Cisco DX70 and DX80 Administrator GuideChoose wallpaper. Sign in. Page 29 Cisco DX70 and DX80 Administrator GuideChoose a ringtone and. Page 30 Cisco DX70 and DX80 Administrator GuideManage local contacts.<http://www.diabetesbible.com/userfiles/delphi-roady2-xm-radio-manual.xml>

- **dx80 manual, dx 80 installation manual, hoover dx h9a2dce-80 manual, comdial dx-80 manual, nikon dx 80 manual, dx c10de-80 manual, ibasso dx80 manual, banner dx80 manual, hoover dx c9dg-80 manual, comdial dx-80 voicemail manual, dx 80 manual, comdial dx 80 voicemail manual, cisco dx 80 user manual, dx 80 user manual, radiowavz dx 80 short manual.**

Sign. Page 31 Peripherals Cisco DX70 and DX80 Administrator GuideD15362.01. Page 32 Cisco DX70 and DX80 Administrator GuideConnect a computer. Connect. Page 33 Maintenance Cisco DX70 and DX80 Administrator GuideD15362.01. Page 34 Cisco DX70 and DX80 Administrator GuideUpgrade the system software. Page 35 Cisco DX70 and DX80 Administrator GuideUpgrade the system software. Page 36 Cisco DX70 and DX80 Administrator GuideAdd option keys. Sign. Page 37 Cisco DX70 and DX80 Administrator GuideSystem status. System information. Page 38 Cisco DX70 and DX80 Administrator GuideRun diagnostics. Sign in. Page 39 Cisco DX70 and DX80 Administrator GuideDownload log files. Sign. Page 40 Cisco DX70 and DX80 Administrator GuideCreate a remote support. Page 41 Cisco DX70 and DX80 Administrator GuideBackup or restore a. Page 42 Cisco DX70 and DX80 Administrator GuideRevert to the previously. Page 43 Cisco DX70 and DX80 Administrator GuideFactory reset the video. Page 44 Cisco DX70 and DX80 Administrator GuideFactory reset the video. Page 45 Cisco DX70 and DX80 Administrator GuideFactory reset the video. Page 46 Cisco DX70 and DX80 Administrator GuideCapture user interface screenshots. Page 47 System settings Cisco DX70 and DX80 Administrator GuideOverview of the. Page 49 Cisco DX70 and DX80 Administrator GuidePage 51 Cisco DX70 and DX80 Administrator GuideVideo settings. 97.

Page 52 Audio settings Cisco DX70 and DX80 Administrator GuideAudio settings. Audio. Page 53 Cisco DX70 and DX80 Administrator GuideAudio Input MicrophoneMode. Page 54 CallHistory settings Cisco DX70 and DX80 Administrator GuideCallHistory settings. CallHistory. Page 55 Conference settings Cisco DX70 and DX80 Administrator GuideConference settings. Conference. Page 56 Cisco DX70 and DX80 Administrator GuideConference DefaultCall Rate. Page 57 Cisco DX70 and DX80 Administrator GuideConference MaxTransmitCallRate Conference. Page 58 Cisco DX70 and DX80 Administrator GuideConference VideoBandwidth PresentationChannel.<http://evergreensoma.com/nbloom/fckuploads/delphi-sa10000-user-manual.xml>

Page 59 H323 settings Cisco DX70 and DX80 Administrator GuideH323 settings. H323. Page 60 Cisco DX70 and DX80 Administrator GuideH323 Encryption KeySize. Page 61 Cisco DX70 and DX80 Administrator GuideH323 NAT Address. Page 62 Logging settings Cisco DX70 and DX80 Administrator GuideLogging settings. Logging. Page 63 Network settings Cisco DX70 and DX80 Administrator GuideNetwork settings. Network. Page 64 Cisco DX70 and DX80 Administrator GuidePage 65 Cisco DX70 and DX80 Administrator GuidePage 66 Cisco DX70 and DX80 Administrator GuideNetworkServices settings. NetworkServices. Page 71 Cisco DX70 and DX80 Administrator GuideNetworkServices HTTPS VerifyClientCertificate. Page 72 Cisco DX70 and DX80 Administrator GuideNetworkServices SNMP Mode. Page 73 Cisco DX70 and DX80 Administrator GuideNetworkServices SSH Mode. Page 74 Peripherals settings Cisco DX70 and DX80 Administrator GuidePeripherals settings. Peripherals. Page 75 Phonebook settings Cisco DX70 and DX80 Administrator GuidePhonebook settings. Phonebook. Page 76 Provisioning settings Cisco DX70 and DX80 Administrator GuideProvisioning settings. Provisioning. Page 77 Cisco DX70 and DX80 Administrator GuideProvisioning Password Provisioning. Page 78 Cisco DX70 and DX80 Administrator GuideProvisioning ExternalManager Domain. Page 79 RoomReset settings Cisco DX70 and DX80 Administrator GuideRoomReset settings. RoomReset. Page 80 RTP settings Cisco DX70 and DX80 Administrator GuideRTP settings. RTP. Page 81 Security settings Cisco DX70 and DX80 Administrator GuideSecurity settings. Security. Page 82 Cisco DX70 and DX80 Administrator GuideSecurity Audit Server. Page 83 SerialPort settings Cisco DX70 and DX80 Administrator GuideSerialPort settings. SerialPort. Page 84 SIP settings Cisco DX70 and DX80 Administrator GuideSIP settings. SIP. Page 85 Cisco DX70 and DX80 Administrator GuideSIP Ice Mode. Page 86 Cisco DX70 and DX80 Administrator GuideSIP PreferredIPMedia SIP.

Page 87 Cisco DX70 and DX80 Administrator GuideSIP Turn Server. Page 88 Standby settings Cisco DX70 and DX80 Administrator GuideStandby settings. Standby. Page 89 SystemUnit settings Cisco DX70 and DX80 Administrator GuideSystemUnit settings. SystemUnit. Page 90 Time settings Cisco DX70 and DX80 Administrator GuideTime settings. Time. Page 91 Cisco DX70 and DX80 Administrator GuideTime Zone Miquelon,. Page 92 Cisco DX70 and DX80 Administrator GuidePage 93 UserInterface settings Cisco DX70 and DX80 Administrator GuideUserInterface settings. UserInterface. Page 94 Cisco DX70 and DX80 Administrator GuideUserInterface OSD Output. Page 95 UserManagement settings Cisco DX70 and DX80 Administrator GuideUserManagement settings. UserManagement. Page 96 Cisco DX70 and DX80 Administrator GuideUserManagement LDAP VerifyServerCertificate. Page 97 Video settings Cisco DX70 and DX80 Administrator GuideVideo settings. Video. Page 98 Cisco DX70 and DX80 Administrator GuideVideo DefaultLayoutFamily Remote. Page 99 Cisco DX70 and DX80 Administrator GuideVideo Input Connector. Page 100 Cisco DX70 and DX80 Administrator GuideVideo Input Connector. Page 101 Cisco DX70 and DX80 Administrator GuideVideo Layout DisableDisconnectedLocalOutputs. Page 102 Cisco DX70 and DX80 Administrator GuideVideo Presentation DefaultPIPPosition. Page 103 Cisco DX70 and DX80 Administrator GuideVideo Selfview Default. Page 104 Experimental settings Cisco DX70 and DX80 Administrator GuideExperimental settings. The. Page 105 Appendices Cisco DX70 and DX80 Administrator GuideD15362.01 DX70 and. Page 106 Cisco DX70 and DX80 Administrator GuideThe user interface. The. Page 107 Cisco DX70 and DX80 Administrator GuideSet up remote monitoring.

Page 108 Cisco DX70 and DX80 Administrator Guide
Page 109 Cisco DX70 and DX80 Administrator Guide
Place a call using. Page 110 Cisco DX70 and DX80 Administrator Guide
Place a call using. Page 111 Cisco DX70 and DX80 Administrator Guide
Share content using the.

Page 112 Cisco DX70 and DX80 Administrator Guide
Local layout control. Sign. Page 113 Cisco DX70 and DX80 Administrator Guide
Control a far end. Page 114 Cisco DX70 and DX80 Administrator Guide
Manage startup scripts. Sign. Page 115 Cisco DX70 and DX80 Administrator Guide
Access the video system's. Page 116 Cisco DX70 and DX80 Administrator Guide
Execute API commands and. Page 117 Cisco DX70 and DX80 Administrator Guide
Serial interface. Use the. Page 118 Cisco DX70 and DX80 Administrator Guide
Technical specification page 1. Page 119 Cisco DX70 and DX80 Administrator Guide
Technical specification page 2. Page 120 Cisco DX70 and DX80 Administrator Guide
Supported RFCs. The RFC. Page 121 Cisco DX70 and DX80 Administrator Guide
User documentation on the. Page 122 Cisco DX70 and DX80 Administrator Guide.
With selfprovisioning your device will register itself. Authenticate to complete the setup. It has high contrast LED panel with wide viewing angle and a full touch surface. Options are also accessible while on a call to ensure the participants can stay engaged during a conversation. This option includes the VESA adapter as well as a fixed and flat wall mount holder. With selfprovisioning your device will register itself. Authenticate to complete the setup. It has high contrast LED panel with wide viewing angle and a full touch surface. Options are also accessible while on a call to ensure the participants can stay engaged during a conversation. This option includes the VESA adapter as well as a fixed and flat wall mount holder. Discover everything Scribd has to offer, including books and audiobooks from major publishers. Start Free Trial Cancel anytime.

Report this Document Download Now Save Save IBasso DX80 Manual For Later 0 ratings 0% found this document useful 0 votes 73 views 32 pages IBasso DX80 Manual Uploaded by Medevilx
Description IBasso DX80 Manual Full description Save Save IBasso DX80 Manual For Later 0% 0% found this document useful, Mark this document as useful 0% 0% found this document not useful, Mark this document as not useful Embed Share Print Download Now Jump to Page You are on page 1 of 32 Search inside document. Well assume youre ok with this, but you can optout if you wish. Out of these cookies, the cookies that are categorized as necessary are stored on your browser as they are essential for the working of basic functionalities of the website. We also use thirdparty cookies that help us analyze and understand how you use this website. These cookies will be stored in your browser only with your consent. You also have the option to optout of these cookies. But opting out of some of these cookies may have an effect on your browsing experience. This category only includes cookies that ensures basic functionalities and security features of the website. These cookies do not store any personal information. It is mandatory to procure user consent prior to running these cookies on your website. Ask your question here. Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Fujitsu Eternus DX DX80 owners to properly answer your question. Ask a question About the Fujitsu Eternus DX DX80 This manual comes under the category Servers and has been rated by 1 people with an average of a 7.1. This manual is available in the following languages English. Do you have a question about the Fujitsu Eternus DX DX80 or do you need help. Ask your question here Fujitsu Eternus DX DX80 specifications ManualSearcher.com ensures that you will find the manual you are looking for in no time.

Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for. Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher. com If you continue to use this site we

will assume that you are happy with it. Read more Ok. You must have JavaScript enabled in your browser to utilize the functionality of this website. Sidemounted USB port provides highcurrent 2A charging. The two rear-mounted ports each provide 500mA charging.Button is lit when HDMI input is connected. Post Office Protocol 3 POP3. Microsoft Exchange ActiveSync Applications from "unknown sources" can be administratively disabled default Extensible Authentication Protocol Extensible Authentication ProtocolFlexible Authentication via Secure Tunneling EAPFAST Extensible Authentication Protocol EAP Transport Layer Security EAPTLS. Extensible Authentication Protocol EAP Message Digest Algorithm 5 EAPMD5. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant AUDIO forum topics Sony STS120 tuner nincs sztereo jel,nem all meg hangolaskor Tisztelt Forumtarsak! A Sony STS120 tunerem monoban szol,de nincs sztereo jel.

Automata hangolaskor,nem all meg,annak ellenere,hogy a jelszint kijelzo maximalis jelet mutat. Forumokat kutatva,azok tanacsat kovetve,kicszereltem a kovetkezo kondenzatorokatrajzon piros pamaccsal jelolve. Igy sincs sztereo jel. Egy lengyel oldalon azt irta valaki,hogy a LA1851Nben a sztereodekoder resz tonkrement cserelni kell.Kicszereltem,megse lett jo.Az ICen a feszultsegek rendben vannak.Az LC7218as ICnek kellene leallitani a VCOt,de nem teszi.A ket tranzistoronQ23,24 meg nem ellenoriztem a jelet,arra gyanakszom talan azok,vagy a LC7218as IC kornyeken kell keresni a problemat. Ha az a hiba,akkor lesz sztereo jel is. Elore is koszonom a tanacsotokat,javaslatotokat! Segitseget szeretnek kerni a fenti gephez. Bekapcsolaskor demoban mukodik, nem reagal a gombokra,radiora nem kapcsol.Feszultsegek stimmelnek a gepkonyv szerint. Minden segitseget koszonettel veszek. Sony TAF 570 ES erosito rajz Sziasztok. Ha tudtok egy rajzot errol a keszulekrol, nagyon megkoszonnem. Similar manuals You can write in English language into the forum not only in Hungarian. Component. System. Operating InstructionsTo avoid electrical shock, do not open the cabinet. Refer servicing to qualified personnel only. Do not install the appliance in a confined space,This appliance is classifiedThis stereo system is equipped with the Dolby Btype. Laboratories Licensing Corporation. DOLBY and the doubleD symbol; areCorporation. The MHCDX80 consists of the followingAnd don't place lighted candles on the apparatus. To prevent fire or shock hazard, do not place objectsDon't throw a battery, dispose it asParts Identification. Main unit. 4. Sound Broad Amplifier. 5. Remote Control. 5. Getting Started. Hooking up the system. 6. Inserting the batteries into the remoteSetting the time. 8. Saving the power in standby mode. 8Playing the CD. Repeat Play. 9. Programming the CD tracks. Using the CD display. 11. Tuner. Presetting radio stations. 12. Listening to the radio. Tape. Sound Adjustment.

Adjusting the sound. 18. Selecting the sound system. 18. Selecting the audio emphasis effect. 18. Adjusting the graphic equalizer. 19. Selecting the surround effect. 19. Making a personal audio emphasis fileOther features. Changing the spectrum analyzerSinging along Karaoke. 20. Falling asleep to musicWaking up to musicOptional components. Connecting a Video Game Player. 23. Connecting external antennas. 24. Additional Information. Precautions. 25. Troubleshooting. 25. Specifications. 27. Loading a tape. 14. Playing a tape. 14. Recording to a tape. Timerrecording radio programs. 16Main unit. The items are arranged in alphabetical order. Refer to the pages indicated in parentheses forDISPLAY wk 8, 11, 25. DOLBY NR ea 14, 15, 16MIC LEVEL wf 20. MOVIE EQ ed 18, 23. MUSIC EQ ra 18, 23. VOLUME control 0 18, 21REPEAT ea 10. SPECTRUM wl 20. SURROUND eh 19FM MODE ea 13, 27. GAME wj 23. GAME EQ el 18, 23. GROOVE ek 18. TUNER MEMORY es 12. P FILE eg 19. PHONES jack qaPLAY MODE es 9, 10, 16. EDIT e; 16. ENTER ef 8, 10, 12, 16, 17, 19,X pause qj 9, 14The items are arranged in alphabetical order. Refer to the pages indicated in

parentheses for The items are arranged in alphabetical order. Refer to the pages indicated in parentheses for CD ql 7, 9, 10, 15, 16 MD VIDEO q; 23 PRESET EQ qj 18, 23. P FILE qh 19 X pause 5 9, 14 Hooking up the system. Do the following procedure 1 to 7 to hook up your system using the supplied cords and Surround Surround AM loop antenna. FM antenna Amplifier CONTROL connectors until it clicks. To disconnect Front speaker Connect the speaker cords of front speakers Insert only the stripped portion. Be sure to make this connection before you Connect the surround speaker cords to the. SPEAKER jacks of the sound broad Insert only the stripped portion. Note. Keep the speaker cords away from the antennas to To connect optional components. See page 23. To attach the front speaker pads. Jack type A. AM loop antenna.

Set up the AM loop antenna, then connect The demonstration appears in the display. If the supplied adaptor on the plug does not Attach the supplied front speaker pads to the Extend the FM lead Extend the FM lead Positioning the speakers. Place the front speakers at an angle of 45 VOLTAGE SELECTOR to the position of Front Amplifier. Surround Main Unit. Sound Broad. Amplifier Press DISPLAY repeatedly when the Each time you press the button, the Demonstration t Clock t Power Saving. Mode. Tips. Tip. With normal use, the batteries should last for about Saving Mode. Note. You cannot set the time in the Power Saving Mode. To cancel the Power Saving Mode. If you do not use the remote for a long period of time, Press DISPLAY once to show the Setting the time When you set the time for the first time, The clock starts working. If you have made a mistake or want to change the Note. The clock settings are canceled when you disconnect Loading the CD. To play The CD compartment slides out. When you play a CD To insert additional discs, press DISC SKIP. EXCHANGE to rotate the disc tray. If you press nN when CD is selected as Playing the CD. Play. This unit lets you play the CD in different play Track. Disc tray number number. Playing time. Disc presence Tip. You cannot change the play mode during playback. Other Operations. To. Do this. Stop playback. Press x. Pause. Press X. Press again to resume play. Select a track. During play or pause, press Find a point in a track. Press and hold down M or Select a CD in stop Switch to CD function Selection. To. Play repeatedly Press REPEAT repeatedly to. Cancel Repeat Press REPEAT until Disc tray Track Total playing time Exchange other CDs Press DISC SKIP The tracks is are programmed. The All the tracks repeated up to five times. You cannot use this function during SHUFFLE Tip. Pressing the CD while the power is off automatically When the system is in the power saving mode, this Programming the CD Skip step 3 to select tracks from the same To. Press. Cancel Program Play.

PLAY MODE repeatedly Clear a track from CLEAR on the remote in Add a track to the You can make a program of up to 25 tracks Tips Press nN to You can check the remaining time of the When the unit Press DISPLAY. Each time you press the button during normal During normal playback. Playing time on the current track t. Remaining time on the current track t. Remaining time on current CD 1 DISC mode In the stop mode. When the CD player is in program mode and The last track number of the program and the In other conditions. Total number of tracks and total playing time Depending on the disc, some. CD TEXT information may not appear. Presetting radio stations. You can preset 20 stations for FM and 10 Scanning stops when the system tunes in a To tune in a station with a weak To change the AM tuning interval. The AM tuning interval is factory set to 9 kHz To change the AM tuning AM preset stations will be erased. To reset the Tips When the system is in the A preset number appears in the display. Preset number The station is stored. Preset radio stations in the tuners memory first Tuner Preset number. Frequency. To turn off the radio. To listen to nonpreset radio stations Tips There will be Loading a tape. Deck A or B. To. Stop play. Fastforward. Press M while playing the Rewind. Press m while playing the Insert with the Tips. Playing a tape. You can use TYPE I normal or TYPE II Press nN again to play the reverse side. The tape starts playing. When the system is in the Searching for the beginning of a. During playback, press. Example searching forward 2 songs. Tape presence indicator. Deck A front side t Deck A reverse side t. Deck B front side t Deck B reverse side. The AMS function may not operate correctly under Program Edit. You can record from a CD, tape or radio. You can use TYPE I normal or TYPE II CrO₂ tapes. The recording level is

adjusted automatically. Steps. Recording from a CD
Recording from a tape
Recording Manually.
Insert a recordable tape into deck B.

Load the tape you want to
Tape
Press DOLBY NR to reduce the hiss noise in low level high frequency signals
Select j or RELAY to record on both sides.
Recording starts.
Tips
TAPE B reverse side indicator lights up.
If you select RELAY, the hiss noise is heard while recording from the radio,
You cannot listen to other sources while recording.
To. Cancel Program Edit. PLAY MODE repeatedly
Clear a track from
CLEAR on the remote in
You can record tracks from all the CDs in the
Tip. To check the required tape length for recording a CD,
The required tape
To program all the tracks on a CD at once,
You cannot use Tape Select Edit for discs containing
The tracks is are programmed. The
Skip step 3 to select tracks from the same
Deck B stands for recording. To reduce hiss
START button flashes.
Recording starts. Timer
recording radio
To timer record, you must preset the radio
The minute indication starts flashing.
The hour indication flashes again.
The start time appears, followed by the stop
Make sure the tape is in forward direction.
When the recording starts, the volume level
Do this. Check the setting. SELECT on the remote and
ENTER. To change the setting,
Cancel timer
SELECT on the remote and
Tape. Notes. Timer at the same time. Timer recording will not turn on the system until
Adjusting the sound. You can reinforce the bass and create a more
Press GROOVE. Each time you press this button, the display
GROOVE t V
GROOVE t GROOVE OFF
Selecting the sound
You can enjoy different sounds by selecting the
Selecting the audio
The audio emphasis menu lets you select the
Selecting the preset effect from the
Press MUSIC EQ, MOVIE EQ or GAME EQ
The preset effect name appears in the display. See the chart "Music menu options". To Cancel the effect
Music menu options
Effect. For
LINK Reproduces the same sound with the
MATRIX SURR Reproduces a wide range
SUB WOOFER Reproduces the low bass
Notes
You can adjust the sound by raising or
Before operation, first select the audio
Frequency band. Frequency level.

Making a personal audio
You can create a personal file of sound effect
Before operation, first select the audio
The personal file number appears in the
Selecting the surround
You can enjoy this systems surround effect. Press SURROUND. Each time you press the button, the display
The adjusted sound effect are stored under
The settings
To call up the personal file. Press P FILE repeatedly until the personal file
When you choose other sound effects, the surround
Notes. Changing the spectrum
You can enjoy changing the display while
Mixing and recording sound. Press SPECTRUM. Each time you press the button, the display
SPECTRUM 1 t SPECTRUM 2 t. SPECTRUM 3 t PATTERN 1 t. PATTERN 2 t PATTERN 3 t. To mix and record karaoke sound, do the
To stop recording.