



## BT ITS Netrix Setting the Global Standard in Advanced Trading Communications

- BT ITS Netrix 18 Enhanced Features**
- Speaker headset – 6, 18, 24 channel
  - Mouse navigation
  - Send key to colleague
  - Answer line on specific handset
  - Option to answer caller ID
  - Keep speed dial entries from data port
  - Answer character support
  - User configuration web portal
  - IP access on multiview connection
  - Beaming across IP platforms
  - Script support for diagnostics
  - Turn status panel with history
  - PC keyboard

BT ITS Netrix is a state of the art desktop device for the trading floor aimed at revolutionising trading communications. The device takes advantage of network-centric, voice, video and data communications to empower the user with instant access to the customer, the market and the applications to support the business.

The device is packed full of features accessed through an intuitive user interface with simple controls and colour displays, available as touchscreens and button options. Up to 50 comprehensive coloured key labels, accessing over 5,000 lines enable users to identify and answer client calls and to know who their colleagues are communicating with. The context sensitive interface guides the user through the wide range of functionality, clearly showing when functions are available.

BT ITS Netrix is built on proven Power-PC technology running the Linux operating system. Comprehensive displays, the ability to connect as both TDM and IP, to host open source applications, receive IP video streams and integrate with other devices ensure that BT ITS Netrix will take every advantage of the exciting developments in communications technology.

## BT ITS Netrix Base Features

- Button and touchscreen options
- Multiple user profiles
- Full colour alerts supporting 40%
- Key block support 20+ characters
- For party display on every key
- Comprehensive audible alerts
- Shaded contact list names
- One touch call and target
- Call history and missed calls alert
- Missed incoming and calls flag
- All digital, open line operation
- TDM and dual IP connections
- HDSDI 4-axis display
- Modular desktop arrangement
- New variable angle for legs
- Available in silver or black
- Dock to back connection
- Built in 4 channel speaker
- 24 channels external speaker
- Dedicated headset port
- Optional, ergonomic handset
- Handset Mute indication
- Low profile crash microphone
- Internal microphone
- 2 USB ports for external devices (supporting for power only)

## The BT ITS Netrix Family of Products

BT ITS Netrix Command Module (CM) with VMS Operator Module



BT ITS Netrix Touch Screen (TS)



BT ITS Netrix total configuration



BT.com / TradingCommunications

BT. Bringing it all together

**File Name:** bt netrix manual.pdf

**Size:** 4455 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 10 May 2019, 16:38 PM

**Rating:** 4.6/5 from 847 votes.

**Status:** AVAILABLE

Last checked: 13 Minutes ago!

**In order to read or download bt netrix manual ebook, you need to create a FREE account.**

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

## Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bt netrix manual . To get started finding bt netrix manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# bt netrix manual



### BT ITS.Netrix Setting the Global Standard in Advanced Trading Communications

#### BT ITS.Netrix Release 18 Enhanced Features

- Speaker Keys - 12, 16, 24 channel
- Master Keys on every page
- Send Key to colleague
- Answer line on specific handset
- Option to answer caller ID
- Key speed dial entry from dial pad
- Screen/shower support
- User configuration web portal
- IP unicast or multicast connection
- Re-homing across ITS platforms
- Scaling support for diagnostics
- Latest status portal with history
- PC Audio port

BT ITS.Netrix is a state of the art desktop device for the trading floor aimed at revolutionising trading communications. The device takes advantage of network-centric voice, video and data communications to empower the user with instant access to the customer, the market and the applications to support the business.

The device is packed full of features accessed through an intuitive user interface with simple controls and colour displays, available as touchscreen and button options. Up to 60 comprehensive coloured key labels accessing over 5,000 lines enable users to identify and answer client calls and to know who their colleagues are communicating with. The context sensitive interface guides the user through the wide range of functionality, clearly showing when functions are available.

BT ITS.Netrix is built on proven PowerPC technology running the Linux operating system. Comprehensive displays, the ability to connect as both TDM and IP, to host open source applications, receive IP video streams and integrate with other devices ensure that BT ITS.Netrix will take every advantage of the exciting developments in communications technology.

#### BT ITS.Netrix Base Features

- Button and Touchscreen options
- Multiple user interface
- Full colour alerts & supporting info.
- Key labels support 20+ characters
- Ear party displayed on every key
- Comprehensive audible alerts
- Shared contact directories
- One-touch call and transfer
- Call history and missed calls alert
- Integral intercom and hands-free
- All digital, open-line speakers
- TDM and dual-IP connections
- MPEG-4 video display
- Modular desktop arrangement
- User variable angle for top
- Available in silver or black
- Desk or Back-room power
- Built-in 4 channel speaker
- 24 channel external speakers
- Dedicated headset port
- Specific, ergonomic handset
- Handset Mute indication
- Low profile stalk microphone
- Internal microphone
- 2 USB ports for external devices (currently for power only)

#### The BT ITS.Netrix Family of Products



Page Count 2 The device takes advantage of network-centric voice, video and data communications to empower the user with instant access to the customer, the market and the applications to support the business. The device is packed full of features accessed through an intuitive user interface with simple controls and colour displays, available as touchscreen and button options. Up to 60 comprehensive coloured key labels accessing over 5,000 lines enable users to identify and answer client calls and to know who their colleagues are communicating with. The context sensitive interface guides the user through the wide range of functionality, clearly showing when functions are available. BT ITS.Netrix is built on proven PowerPC technology running the Linux operating system. Bringing it all together Where the number exists in the user's directory, the name is displayed automatically. Directories can be either personal or shared across teams of users, who each have the ability to enter and amend entries. Trader Voice for the regular phone user. BT Netrix office FeaturesSubstances. BT Netrix office is designed for those users who support the trading floor by providing coverage of tradingThe design is more familiar toBT Netrix office incorporates full access to the BT Netrix intercom, 4 integral speaker channels with talkbackIn addition, BT Netrix officeAs with all BT Netrix family products theBT Netrix office is built on proven PowerPC technology running the Linux operating system and can beTDM. It is administered alongside other BT turrets using the system administration tools and can be fullyBT Netrix office provides a comprehensive contact directory supporting up to 5000 contacts with personal,Call logs are provided on selected lines together with visible alerts forBT Netrix office supports onetouch access to up to 8 trading lines, DDIs or contacts on the home page andBT. Bringing it all together.<http://debschoen.com/userfiles/db-50-manual.xml>

- **bt netrix manual, bt netrix user manual, bt netrix turret manual, bt netrix dealerboard manual, bt netrix manual, bt netrix manual, bt netrix manual pdf, bt netrix manual free, bt netrix manual downloads, bt netrix manual online, bt netrix manual software, bt netrix manual instructions, bt netrix manual 2017, bt netrix manual user.**



**BT Netrix office**  
Trader Voice for the regular phone user

**BT Netrix office Features**

- Access to trading lines and tools
- Range of 8 coloured keys
- Floating keys
- One-touch barges
- Integral intercom
- 4 channel speaker with talkback
- 1000 contact directory
- Call log, missed calls, voice mail
- Active mode - covers further 40 lines
- Digital audio quality
- Noise cancelling trading handset
- Headset port
- Hands free, directional array microphone
- Optional full recording
- Optional web integration
- Optional busy lamp
- Mains or Ethernet power
- 2 USB ports for external devices (connecting to power supply)
- Standalone demo feature
- Designed to meet EU RoHS (Restriction of Hazardous Substances)

BT Netrix office is designed for those users who support the trading floor by providing coverage of trading lines and access to foot and intercom in addition to regular office telephony. The design is more familiar to regular phone users whilst giving them access to a greater range of functions to facilitate closer working with the trade floor.

BT Netrix office incorporates full access to the BT Netrix intercom, 4 integral speaker channels with talk-back capability and direct access to up to 32 lines or speed dials on the BT platform. In addition, BT Netrix office can be configured to provide coverage of 40 additional lines used by other users.

The unit incorporates a noise-cancelling handset with hook switch, a hands-free speaker with built-in 'array' microphone, an optional headset, and an optional desk microphone. As with all BT Netrix handsets products the device delivers high quality digital audio on all channels and can be connected to PC audio sockets to provide both monitoring and talk-back for PC audio applications.

BT Netrix office is built on proven Power-PC technology running the Linux operating system and can be connected to BT Unified Trading session manager as a SIP device or to a BT ITS platform using MegaLink IP or TDM. It is administered alongside other BT turrets using the system administration tools and can be fully recording particular lines such as television commentary and supports local regulations such as personal calls and beep tone.

BT Netrix office provides a comprehensive contact directory supporting up to 5000 contacts with personal, group-shared and read-only access. Call logs are provided on selected lines together with visible alerts for missed calls and voice mail.

BT Netrix office supports one-touch access to up to 8 trading lines, DGIs or contacts on the home page and speed access to a further 24 keys, including full line status and one-touch 'barging' for conferring on busy lines. There is support for floating keys (aka "soft keys") to show ringing, held and busy-here calls on lines not currently on view, and the unit has an 'active' mode that enables coverage (incoming and held calls) for an additional 40 lines used by colleagues.



Microsoft UnifiedTrading

BT. Bringing it all together

Along with line status and line label, the incoming CLI or dialled digits Where the number exists in the users Directories can be A new callers number can be easily This call history also includes BT Netrix office supports 6 simultaneous, bidirectional audio The handset audio can be redirected to a headset or the handsfree. The handsfree and intercom have priority on the speaker by optionally. BT Netrix office supports SIP connection to BT Unified Trading session SIP overlay for session manager supports compression and encryption BT Netrix office Options. BT Netrix office can be ordered with a number of options BT Netrix office Compatibility. BT Netrix office is compatible with BT ITS platforms IP or TDM with BT Netrix office is compatible with BT Unified Trading session Technical Specification. BT Netrix office. Key pages. Line Keys per page BT Netrix office. Leg 2 off. Handset excluding cable. Height Width Height Depth Power. Mains Input Voltage. Minimum. Depth Typical Maximum. Notes Netrix LM20 or VM8 expansion modules Power brick Cisco's universal Power over Ethernet BT. Bringing it all together CONTROL Manual. Open the PDF directly ITS Netrix User Guide Home. tradsys.com. Views On pV turrets only calls held by the user would appear BT Graphite 2500 User Guide BT Shop. This power supply is compatible with all BT Netrix turrets and can be easily BT Turrets integration with Cisco IP Telephony offers Cisco IP hone users access Download Bt netrix user manual. Esta utilidad decodifica tus películas en DVD, atreviéndose incluso con aquellas grabadas en DVD protegidos. Auto Print is a. BT Netrix office Trader Voice for the regular phone user BT Netrix office It is administered alongside other BT turrets using the system administration tools and Check out our user manuals, plus troubleshooting tips and helpdesk information, for all phones and telephone equipment sold by BT. [http://3-peaks.com/admin/uploads/db-e30d-1av-manual\(1\).xml](http://3-peaks.com/admin/uploads/db-e30d-1av-manual(1).xml)



**BT ITS.Netrix**  
Setting the Global Standard in Advanced Trading Communications

- BT ITS.Netrix Release 3.8 Enhanced Features**
- Speaker keypad – 8, 16, 24 channel
  - Master Keys on every page
  - Send key to colleague
  - Answer line on specific handset
  - Option to suppress caller ID
  - Keij speed dial entry from dial pad
  - Korean character support
  - User configuration web portal
  - IP unicast or multicast connection
  - Ro-homing across ITS platforms
  - Spelling support for diagnostics
  - Same status panel with history
  - PC Audio port

BT ITS.Netrix is a state of the art desktop device for the trading floor aimed at revolutionising trading communications. The device takes advantage of network-centric voice, video and data communications to empower the user with instant access to the customer, the market and the applications to support the business.

The device is packed full of features accessed through an intuitive user interface with simple controls and colour displays, available as touchscreen and button options. Up to 60 comprehensive coloured key labels accessing over 5,000 lines enable users to identify and answer client calls and to know who their colleagues are communicating with. The context sensitive interface guides the user through the wide range of functionality, clearly showing when functions are available.

BT ITS.Netrix is built on proven Power-PC technology running the Linux operating system. Comprehensive displays, the ability to connect as both TDM and IP, to host open source applications, receive IP video streams and integrate with other devices ensure that BT ITS.Netrix will take every advantage of the exciting developments in communications technology.

- BT ITS.Netrix Base Features**
- Button and Touchscreen options
  - Intuitive user interface
  - Full colour alerts & supporting info.
  - Key labels support 20+ characters
  - Far party displayed on every key
  - Comprehensive available alerts
  - Shared contact directories
  - One-touch call and barge
  - Call history and missed calls alert
  - Integral intercom and hands-free
  - All digital, open-line speakers
  - TDM and dual-IP connections
  - MPEG-4 video display
  - Modular desktop arrangement
  - User variable angle for legs
  - Available in silver or black
  - Desk or back-room power
  - Built-in 4 channel speaker
  - 24 channels external speakers
  - Dedicated headset port
  - Specialist, ergonomic handset
  - Standard Mute indicator
  - Low profile stalk microphone
  - Internal microphone
  - 2 USB ports for external devices (currently for power only)


**The BT ITS.Netrix Family of Products**



The context sensitive user interface presented on the application display guides the Support information for BT products, including user manuals, helpdesk details and how to get batteries and other spare parts. Netrix Setting the Global Standard in Advanced Trading Communications BT ITS. To Forward a call ringing at your Extension to Voicemail. 21. Will be grateful for any help. Top Bobs Guide entry for BT ITS Netrix. It's the tool that puts food on my Get file Bt netrix user manual. The BT ITS Netrix device combines networkcentric voice, video and data communications to empower. They come to us for the latest insight from our platform, to source the best suppliers through our fintech product directory, to find new exciting job roles or discover digital talent for their business via our job listings, to learn about key live and digital events, and to download useful resources such as whitepapers and case studies. The Future Delivered The Future Delivered The Future Delivered. We are a nonprofit group that run this service to share documents. We need your help to maintenance and improve this website. Trading has progressed from floor trading through phone trading to electronic trading during the later half of the twentieth century with phone trading having dominated during the 1980s and 1990s. Although most trading volume is now done via electronic trading platforms, some phone trading persists and trading turrets are common on trading desks of investment banks. Trading turrets enable users to visualize and prioritize incoming call activity from customers or counterparties and make calls to these same people instantaneously by pushing a single button to access dedicated pointtopoint telephone lines commonly called Ringdown circuits.

In addition, many traders have dozens or hundreds of dedicated speed dial buttons and large distribution hootnholler or Squawk box circuits which allow immediate mass dissemination or exchange of information to other traders within their organization or to customers and counterparties. Due to these requirements many Turrets have multiple handsets and multichannel speaker units, generally these are shared by teams for example equities, fixed income, foreign exchange or in some cases globally across whole trading organizations. As processing power has increased and switching technologies have matured, voice trading systems are evolving from digital timedivision multiplexing TDM system architectures to Internet Protocol IP serverbased architectures. Some of modern trading turret models are optimised to integrate with PBX

platform. By using this site, you agree to the Terms of Use and Privacy Policy. Please upgrade your password. Enter your email address below. We will send instructions to reset. Please check your inbox for our authentication email. Sign up to Finance Magnates I already have an account. Please open the email we sent you and click on the link to verify your account. Search. The device caters to professional traders by introducing a separate touch enabled screen for communication and market information. It adds integration with the BT Radianz cloud and enables real time collaboration between traders, access to market information and orderflow, and ultimately order placing and trading. It features an HD display with a touch screen to facilitate the way professional traders manage their order flow and numerous communications. The device supports voice and digital communications, while taking advantage of the touch screen to implement some gestures similar to smartphone functionality. A built in camera, speaker channels and intercom complement the device to be viewed as a full featured tablet.





<http://www.drupalitalia.org/node/71478>

It is one of the biggest cloud services dedicated to establish and maintain high quality links between clients, counterparties, banks, brokers, exchanges and trading infrastructures. The service is specifically dedicated to the financial services industry and according to BT's data is currently linking more than 400 service providers associated to the financial services industry. An Integrated Solution That Brings Modern Technology to Traders BT's Netrix Hi Touch appears to be a complimentary product to this cloud service by the company to establish itself as a leader in the sector and try to cater to a multitude of needs that financial services industry players need. According to BT, the device can be used in a multitude of ways as to the execution styles that they have chosen to use. With the right scalability of the software solution and the appropriate security certifications of ever more powerful devices in a handheld format it's definitely a business opportunity worth exploring. According to recent research by industry specialists, the capabilities of Apple's new 64bit chip that is running its latest mobile devices released in the second half of 2013 goes to a desktop level. In fact reports are suggesting that virtually none of the current applications that are built for the handheld devices made by Apple are taking full advantage of the hardware capabilities of the current generation of processors. With Qualcomm joining the race for 64bit mobile computations later this year, the space could become even more competitive. In this context it's worth mentioning that all of Apple's iOS 6 devices and Samsung's Android Devices which are running a separate secure function called Knox are certified to be used in the US military, which makes them more than capable to handle trader's communications. Too bad the DoD is slow in certifying new devices, yet that shouldn't be a big issue with the proper software design implementation.

<http://flaviaflores.com/images/bosch-vacuum-cleaner-gl30-manual.pdf>





There is no information about the hardware characteristics of BT's device offered in the press release, nor on the website of the company. Forex Magnates reporters have contacted the company's newsroom. However as of the time of publication no comment has been received from BT PLC representatives. Revamping the Ways of Professional Trading BT Global Services' president of global banking and financial markets, Tom Regent has outlined in the press release that "as financial markets firms adapt to ever more stringent regulations and the need to retain more capital in reserve, traders are under increasing pressure to make the right decisions faster and maximise increasingly elusive investment returns. In response, trading strategies are becoming more complex, involving a greater mix of execution styles. On top of this, a new generation of trader is emerging, used to the speed and convenience of consumer devices such as smartphones and tablets." He goes on to elaborate that "BT Netrix HiTouch's new interface gives traders intuitive touchscreen control of their communications, with the same ease with which they use their smartphones and tablets in their personal lives, integrated with unmatched breadth and depth of the applications delivered by our worldleading BT Radianz Cloud." Rebecca Healey who is a senior analyst at Tabb Group, a financial markets' research and advisory firm, added in the press release that "as the industry continues to shift to greater automation, both buy and sell side now need to leverage their use of technology to optimise liquidity, relationships and resources. Only the combined interaction between man and machine will enable traditional brokerage services to reemerge in a new and more cost efficient manner, delivering the next generation in trading." Share this article Telegram Finance Magnates Telegram Channel. Tags cloud Vote Up 0 Vote Down Reply 6 years ago Guest Jon Why use a separate device.

<http://www.economiadelagua.com/images/bosch-vacuum-cleaner-manual.pdf>



Vote Up 0 Vote Down Reply 6 years ago Guest Victor Golovtchenko Hi Jon, my guess would be that since BT is already possessing the cloud infrastructure, they would want to have full control of the whole ecosystem. Vote Up 0 Vote Down Reply 6 years ago Author Victor Golovtchenko Hi Jon, my guess would be that since BT is already possessing the cloud infrastructure, they would want to have full control of the whole ecosystem. Vote Up 0 Vote Down Reply 6 years ago All FM News For more information, read our. The Sponsored Listings displayed above are served automatically by a third party. Neither the service provider nor the domain owner maintain any relationship with the advertisers. In case of trademark issues please contact the domain owner directly contact information can be found in whois. The Cisco Catalyst 4500E switch platform is the first in the industry to deliver Cisco UPOE a technology that can source up to 60 watts of inline power per port as required by typical trading turrets. Cisco Catalyst 4500E platform switches are also the most widely modular access platform in the industry. This document explains Cisco UPOE powering alternatives, and integration between BT Turrets and Cisco Unified Communications Manager UCM to provide enhanced telephony across the financial trading enterprise. Challenge One Backroom power for turrets has always been a feature of some trading floors. However, the cost of providing dedicated infrastructure generally makes it prohibitive, leaving turrets dependent on local mains power, which may or may not be provided with uninterruptible power supply UPS. Power over Ethernet PoE has offered a costeffective solution in providing resilient power, but has historically delivered insufficient power to the turret to drive speakers at full volume. Turrets typically take between watts of power. The Cisco Catalyst 4500E is Cisco s leading modular enterprise class switch platform for trading floor access deployments.

This platform not only provides linerate switching to all user access ports, but also delivers borderless network services critical for trading floor deployments. Some of these services include high availability with full hardware redundancy, software features such as InService Software Upgrade ISSU, application visibility with Cisco Flexible Netflow FnF, and hosted applications, including WireShark. The buffering and multicast architecture on these switches are unique in the industry and cater specifically to the requirements of this environment. PoE has long been considered the most critical innovation to revolutionize and expedite the adoption of IP telephony in the enterprise market segment. The Cisco Catalyst 4500E switch platform was the first platform to deliver PoEplus compliant switches, two years prior to the introduction of the IEEE PoEplus standard. The PoEplus standard defines the mechanism to source up to 30 watts of power from switches. With Cisco UPOE, the Cisco Catalyst 4500E dramatically increases the power sourced by the switch to 60 watts. Cisco UPOE helps extends the benefits of power resiliency, management, and efficiency to a wider range of devices. Cisco s UPOE solution meets the higher power requirement,

providing a cost-effective solution for delivering resilient power to trading turrets. BT has worked with Cisco to develop a power supply that derives this power from the Ethernet cable. This power supply is compatible with all BT Netrix turrets and can be easily retrofitted to existing installations, including those making use of the dual network interface cards NICs on the turrets. Cisco UPOE BT Turret Solution Cisco's development of the UPOE increases the available power from the Ethernet cable to 60 watts, sufficient to power a BT Netrix turret with up to 40 line keys and eight speaker channels. The power supply derives this power from the single Ethernet cable that provides the network connection.

[www.kliningstroy.ru/wp-content/plugins/formcraft/file-upload/server/content/files/1626c3051c0326--106-manual-pdf.pdf](http://www.kliningstroy.ru/wp-content/plugins/formcraft/file-upload/server/content/files/1626c3051c0326--106-manual-pdf.pdf)

Power is only delivered to recognized devices that support Cisco UPOE. As the BT Netrix turret has two Ethernet ports for network resilience, the power supply provides connections for four Ethernet ports, two in data and power and two out data only. Power can be provided from either port and is designed to continue without interruption should a port fail Cisco BT Turrets. All rights reserved. Page 1 2 The power supply is 85 percent efficient at full load. The dimensions of the unit are 6.46 inches long by 3.35 inches wide by 1.42 inches high. Figure 1 below displays an image of the unit. Figure 1 BT ITS. Netrix Turret with 20key expansion and eightchannel speaker modules with handset, microphone and busy light Challenge Two In today's pressured trading environment communication is more critical than ever before between traders, sales people, management, and support functions. The ability to rapidly and easily handle queries, and offload time-consuming administrative tasks is essential to optimize the skills and time of trading representatives. To help enable effective teamwork, office-based telephone users whether in sales, research, management, or the back office must be able to access and interact with turret-based communications. This will lead to increased productivity, more cost-effective teamwork, and improved customer service. Historically PBX telephone users have not had access to the lines terminated on the turret systems, where all key client and counterparty communication takes place. BT and Cisco have solved this problem through a new collaborative application which enables access to the comprehensive capabilities of the ITS voice trading platform from Cisco IP Phones. BT Turrets integration with Cisco IP Telephony offers Cisco IP phone users access to calls to and from the trading room. They can make and receive calls on a private wire or discard digits instruction DDI and conference into calls in progress at the touch of a button.

And crucially, for compliance purposes, all calls whether on the ITS turret or the Cisco IP phone can be voice-recorded. With this integration a company's Cisco IP phones work as virtual off-trading floor extensions to trading turrets. This allows Cisco IP phone users to handle incoming calls when traders are away from their desks, and to be directly involved in client contact with the traders. Furthermore, team operations within and between departments can now be more easily achieved when teams are on different telephone systems. This integration supports the drive for flexible business continuity options, and can be extended to the use of Cisco IP phones in remote or even home locations Cisco BT Turrets. Page 2 3 Typical Business Scenarios include Manager to secretary interworking Using their Cisco IP phones, secretaries or support staff can answer calls incoming on their manager's trading turrets, and can place calls on behalf of the manager. Management overview Using a Cisco IP phone, managers in offices off the trading floor can monitor the status of their teams private wires and conference in as necessary. Business continuity and remote access Cisco IP phones, when provided to remote or home-based staff, can form an intrinsic part of a business continuity plan, as well as allow new forms of flexible working. BT Turret Line Sharing Solution The BT and Cisco integration helps enable BT turret lines to appear as native lines on the Cisco IP phone, complete with line status information and user barge capability. This has been made possible by using facilities in Session Initiation Protocol SIP a popular industry standard. The phone can be



any model supported on the Cisco UCM provided it supports the Charge feature. The integration architecture is shown in figure 2. Figure 2 BT Turret Integration Architecture The BT Line Sharing Application is hosted on a Linux appliance server and connects to the Cisco UCM as a SIP phone.

SIP is used only for passing the line status between the Cisco UCM and ITS. Audio is passed across a regular DDI call, made over the main SIP trunk connection between the BT system and the Cisco UCM. The application performs the following functions It recognizes incoming calls to BT turret lines and generates a DDI call to the Cisco UCM, bridging the two calls when answered by a Cisco phone It recognizes an offhook and dial on the Cisco phones and generates a corresponding outgoing call from the BT turret system, bridging the two calls It bridges the two signalling environments to produce common lamping across the user base of phones and turrets This integration is available for Cisco UCM 7.0 systems and higher, and for BT trader voice R17.3 and higher. It registers with the Cisco UCM as an extended SIP device using a special BT license, which consumes six device license units DLUs for each block of 10 lines shared. The instances of this application can be repeated to support more lines as required. Lines shared include static lines private wires, hoots, etc. and DDI lines terminated on the BT system. When a DDI line is shared, the number on which the Cisco UCM is called 56789 in the figure 2 is different for each phantom in the BT turret hunt group. Consequently, each DDI phantom will require a license Cisco BT Turrets. Page 3 4 Challenge Three In the event that they lose connectivity over the WAN, traders who are operating their turret remotely from the main trading floor still need to access telephony. Provision of dedicated trader voice for these users is costly and puts further pressure on the support teams. A more costeffective solution is to allow the turrets to access the office telephony in this event, utilizing another advantage of this application solution. BT has worked with Cisco to allow a BT Netrix Turret to register with the Cisco UCM as a SIP device.

While this registration does not provide full turret capability, it does provide access to dialtone and external lines and can help the user to continue making calls from the turret in the event of a WAN failure, thus providing an adequate, local, survivable solution for remote traders. Product Specification Cisco Catalyst 4500E switch platform and Cisco UPOE Cisco UPOE is supported on Cisco Catalyst 4500 Supervisor Engine 7E or later based Catalyst 4500E switch platforms with Cisco UPOEcapable line cards. Figure 3 below displays the switches. Figure 3 Catalyst 4500E Switch Platform Table 1 below shows Cisco UPOE compatibility on the Cisco Catalyst 4500E platform. In the event of loss of connection, Netrix will first attempt to connect over alternate network paths and to alternate trader voice systems. If these attempts are unsuccessful the device will then register to the local Cisco UCM as a SIP device. BT SIP Turrets are compatible with Cisco UCM 7.0 or later, and with BT trader voice R19.3 and later. The turret can also register to Cisco Unified Communications Manager Express CME and to Cisco Survivable Remote Site Telephony SRST. The turrets register with the Cisco UCM as an extended SIP device using a special BT license, which consumes six DLUs Cisco BT Turrets. Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. A listing of Cisco s trademarks can be found at Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company 1005R British Telecommunications plc 2011 Registered office 81 Newgate Street, London EC1A 7AJ, UK Registered in England No Many of the product, service and company names referred to in this document are trademarks or registered trademarks. They are all hereby acknowledged. Reproduction by any means or disclosure to other parties without the written permission of British Telecommunications plc is prohibited.

Opinions reflect the judgement at the time of publication and are subject to change. The Telecommunications services described in this publication are subject to availability and may be modified from time to time. Services and equipment are provided subject to British Telecommunications plcs standard terms and conditions of contract. All rights reserved. Page 5 The

N3 network supports data applications, voice and Simian Display Orangutan Simian Display Orangutan The imanager appliances support these The Future Delivered Small businesses face new challenges and competitive Cisco Small Business Unified Communications solutions bring together data, BT SIP Trunks Firewall and LAN Guide. Issued by BT Business Date 14.02.2012. Issue v1. Introduction to your VIP Featurephone It can be connected directly to the BT Versatility system or installed at The Phone 7962G and 7942G models are part of a new suite of evolutionary Phone 7900 Series endpoints. Large, clear screens deliver relevant information direct to your Cisco Small Business Unified Communications solutions bring together data, It s no surprise that Polycom has been the leading supplier of conference phones for twenty years, A Guide to SIP V4 An Introduction to Enabling mission critical communication, collaboration and compliance Key Features. Network Diagram. Overview. Featured Products. WAN Failover. Enabling WAN Load Balancing Page 1 What is the difference between inline power and PoE. What is the difference between About this document This offers Technical White Paper May 2004 CTS White Paper Page 2 of 11 Converged Telephony Solution White Paper The focus of this white paper is to explain Small businesses face new challenges and competitive A guide to using BT Cloud Phone with your local area network LAN. A guide to using BT Cloud Phone with your local area network LAN. 2 What s in this guide. 1 Overview. 3 2 Requirements. 4 2.1 Ports.

4 We manage the technology to enable Contents This document includes the following In addition, this document will cover Quite simply, VoIP is using your data network and the internet xdsl or Leased Line to make and receive phone calls. Through its International By carrying calls over an internet connection, it makes PBXs All rights reserved. This document is Cisco Public Information. Contents Product Overview 3 All rights reserved. A Converged IP Platform offering advanced business solutions for single or multisite networks. Businesses need to be able to effectively communicate The Future Delivered Make and receive calls from anywhere with a phone system that s hosted in the cloud. Save on setup, maintenance and call charges. Have reassurance that we This document is Cisco Public Information. Page Voice over IP business phone systems use existing data network infrastructure to distribute telephone calls, delivering a range of A guide to our IP Phones portfolio. A guide to our IP Phones portfolio. 2 Contents. 3 The IP phone range from BT Business. 3 An overview BT Polycom VVX range 4 An overview BT Yealink W52P 5 An overview Make more of your phone For a small business like yours to communicate effectively with suppliers There s no compromising for our customers. Move at your own pace. No compromising on features Up to now, competitive product offerings Seamless Scalability 101000 s of users Students will learn the basic procedures Do you know how many IP phones will be assigned to each of the switches Do you know how many IP phones will be assigned to each of the switches These are To use this website, you must agree to our Privacy Policy, including cookie policy. You must have JavaScript enabled in your browser to utilize the functionality of this website. Pictures or descriptions of other components are only to illustrate the complete system the card was removed from, or describe functionality, and are not included in the purchase.

This board is being parted from a functional working system which was removed from the facility during an upgrade. Before being dismantled, the system powered up, provided green light status on available components. Final 2 photos show the full assembly and status lights when powered. All cards stored and shipped in antistatic bags. Original system came with the following components, most of which are available in our store. The market for trader voice is now moving to the next generation of software and cloudbased solutions, but as this technology is rapidly evolving, many customers are looking for reassurance that they can continue to rely on their ITS systems for the foreseeable future. BT also recognises that some specific segments of the turret market prefer to choose the specific capability of dedicated TDM platforms versus the more flexible and open approach of SIPbased platforms and BT is committed to continuing to give customers that choice. As a consequence, BT has taken the unique approach of ensuring that the ITS portfolio will be available

and supported for years to come. The system includes Choose from The chassis It can be hosted on analogue or digital line cards, and for each hoot an external circuit is included in the conference. In addition to a complete suite of analogue interfaces, ITS supports a comprehensive range of digital protocols to both PBX and telecom networks. Pairs of circuits on the GenGen card can optionally be configured as FWIC. These cards are only compatible with p31 modular chassis and hybrid analogue digital network shelves on p51 and p107. It also supports Nortels proprietary MCDN protocol. The DLIC4 card is only compatible with p31 Modular chassis and hybrid analoguedigital network shelves on p51 and p107.

<http://www.drupalitalia.org/node/71479>