

File Name: canon powershot sd1200 manual pdf.pdf Size: 4612 KB Type: PDF, ePub, eBook Category: Book Uploaded: 21 May 2019, 23:21 PM Rating: 4.6/5 from 622 votes.

### Status: AVAILABLE

Last checked: 18 Minutes ago!

In order to read or download canon powershot sd1200 manual pdf ebook, you need to create a FREE account.

**Download Now!** 

eBook includes PDF, ePub and Kindle version

- <u> Register a free 1 month Trial Account.</u>
- **Download as many books as you like (Personal use)**
- **Cancel the membership at any time if not satisfied.**
- **Join Over 80000 Happy Readers**

### **Book Descriptions:**

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon powershot sd1200 manual pdf . To get started finding canon powershot sd1200 manual pdf , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.

×

## **Book Descriptions:**

# canon powershot sd1200 manual pdf



Camera User Guide. If there is a problem with the camera while abroad, please return it to the country of sale before proceeding with a warranty claim to a Canon Customer Support Help Desk. For Canon Customer Support contacts, please see the customer support list supplied with your camera. Chapters 4 onward explain the advanced functions, letting you learn more as you read each chapter. Checking the Package Contents.2 Read This First.3 What Do You Want to Do.4 Safety Precautions.8 1 Getting Started.11. The latter part of this chapter explains how to shoot and view movies and transfer images to a computer. To protect the battery and prolong its life, do not charge it for longer than 24 hours continuously. Since the dates and times recorded into your images are based on these settings, be sure to set them.Set the playback mode. Press the 1 button. Formatting initializing a memory card erases all data on the memory card. As you cannot retrieve the erased data, exercise adequate caution before formatting the memory card. To take images that are in focus, be sure to first press the shutter button lightly halfway to focus, then take the shot. If you just press the shutter button fully without pausing halfway, the image may not be in focus. The camera can also detect and focus on faces, setting the color and brightness to optimal levels. Pressing the l button while turning on the camera power will turn off all sounds except for warning sounds. The subject is too far away for the flash to reach. Switching to and from playback mode Pressing the 1 button while the camera is off turns the camera on in playback mode. Pressing it again turns the camera off. Pressing the shutter button halfway while in playback mode causes the shooting screen to reappear. Please note that erased images cannot be recovered. Exercise adequate caution before erasing an image. Select the playback mode. Select an image to erase.http://adanahavakompresoru.com/userfiles/dungeon-master-s-manual.xml

• canon powershot sd1200 is user manual pdf, canon powershot sd1200 manual pdf, canon powershot sd1200 is manual pdf.



CanonBrand PictBridge Compliant Printers Sold Separately By connecting your camera to one of the Canonbrand PictBridge compliant printers below, you can print your images without having to use a computer. Shooting Time Select the E mode.Select the playback mode.Transferring Images to a Computer Install the software. Transferring Images to a Computer Macintosh CameraWindow will appear when you establish a connection between the camera and computer. This product is designed to achieve excellent performance when used with genuine Canon accessories.Some accessories are not sold in some regions, or may no longer be available. Recommended for powering the camera for an extended period of time or when connecting to a computer. However, the brightness of the image on the screen, and the brightness of the actual image recorded may be different. The menu items are organized under tabs, such as for shooting 4 and playback 1. Muting Sounds Adjusting the Volume Display the menu.Low level formatting a memory card completely erases all data on the memory card. As you cannot retrieve the erased data, exercise adequate caution before formatting the memory card. Set the mode switch to 4 p. 40. Select the shooting mode. Once inserted, however, they cannot be deleted. The camera will activate approximately 10 seconds after the shutter button is pressed. You can change the delay time and number of shots taken p. 72. Press the p button. What if a face is not detected. Even if your face is not detected after joining the subjects, the shutter will release approximately 30 seconds later. AE stands for Auto Exposure. What if the shutter speed and aperture value are displayed in red. If a correct exposure cannot be obtained when pressing the shutter button halfway, the shutter speed and aperture value display in red. The focusing range is 3 m 9.8 ft. and greater from the camera. The digital zoom may cause images to appear coarse at some recording pixel settings p.http://chilli-x.com/image/dungeon-monitor-manual.xml




If you select, you cannot use the Digital Zoom p. 56 or Digital Tele Converter p. 57. Changing the Image Quality Compression Ratio You can select from the following two levels of image quality Fine,

Normal. Fine weather conditions, outdoor shooting. Automatically sets the optimal white balance for the shooting Auto conditions. Day Light Fine weather conditions, outdoor shooting Cloudy, Cloudy, shady, twilight conditions Tungsten Tungsten, bulbtype 3wavelength fluorescent lighting Warmwhite fluorescent, coolwhite fluorescent, warmwhitetype. My Colors Off Emphasizes the contrast and color saturation for a vivid Vivid impression. Tones down the contrast and color saturation for neutral hues. Neutral Sepia Sepia tones. You can now recompose and shoot. This is called Focus Lock. Shooting Using the Viewfinder If you want to save battery power, you can use the viewfinder for shooting, instead of the screen. After locking the focus, the focal distance will not change even when you release your finger from the shutter button. % Shooting with the AF Lock Lock the focus. Suitable for standard shooting conditions, including back lit shots. Evaluative Automatically adjusts the exposure to match the shooting conditions. Center Averages the light metered from the entire frame, but gives Weighted Avg. Under some conditions, the image may appear coarse or the exposure setting may not be suitable. You can correct recorded images p. Redeve correction may be applied to other red parts than red eyes. The latter part explains how to transfer images to a computer and how to specify images for printing. Searching 9 Images at a Time Jump Bar When the jump bar displays, holding the m button and pressing the buttons jumps to the first or last set of images. Position of the Currently Displayed Image Jump 10 Images Jump 100 Images Jump Shot Date Jump to Movie Jump to Folder. Each image displays for approximately 3 seconds. Images display without a transition effect.

The next image displays gradually. Press the l button, and switch to the focus check display p. 43. A white frame will appear where the AF frame or face was when the focus was set. Switches between images without a transition effect. Fades one image out and the next in. Slides images left or right when the Move the zoom lever toward k. Protected images cannot be erased with the camera's erase function. To erase an image, cancel protection first. Since erased images cannot be recovered, exercise adequate caution before erasing. Protected images p. 96 cannot be erased. You can then print all the selected images at once or take the memory card to a photo developer to order prints. These settings will be overwritten by those set by your camera. Please also refer to the Personal Printing Guide. The first part of this chapter explains convenient and commonly used functions. The latter part explains how to change shooting and playback settings to suit your purposes. Turning off the Power Saving Function You can set the power saving function p. Turning off Auto Rotate When you play back images on the camera or a computer, images shot in vertical orientation automatically rotate and display vertically. You can turn off this function. Changing the Image Display Right After Shooting You can change the image display that appears after shooting. Displaying the Overlay You can display gridlines for vertical and horizontal guidance, or a 32 guide to confirm the printable area for L size or postcard size prints. The actual image recorded will include the portion in the gray areas. Resumes with the image last Last seen viewed. The index also appears at the end. Do not unplug the power cord with the camera turned on. This could erase images you have taken or damage the camera. If the items below do not solve your problem, contact a Canon Customer Support Help Desk as listed on the included customer support list. Power You pressed the power button, but nothing happened.

SCHEMATIC DIAGRAM CAMERA-MAIN C.B.A.



### http://superbia.lgbt/flotaganis/1649307547

Press the power button to turn the camera off and back on p. 40. If this error message continues to display, contact your Canon Customer Support Help Desk as there may be a problem with the lens. Selects individual images for printing. Select All Images Selects all images for printing. Clear All Selections Cancels all settings for printing. Print Settings Sets the printing style. Design rule for camera file system and DPOF Data Type. The stylish Canon PowerShot SD1200 IS Digital IXUS 95 IS features a 10 MP CCD sensor lets you create impressive, postersize prints. The 3x 35105mm optical zoom lens gives you total framing flexibility when composing shots. The Lensshift image stabilizer ensures steady, crisp, brilliant images throughout the zoom range. The PowerShot SD1200 IS Digital IXUS 95 IS features Smart Auto mode, which automatically analyzes shooting conditions, and intelligently select the appropriate settings, so you can concentrate on your subject. Other highlights include 2.5inch LCD screen, Face Detection, iContrast Intelligent Contrast Correction and Motion Detection tracks moving subjects in a much larger range, allows you to wait for the perfect shot without refocusing. Leave a Comment Cancel reply Save my name, email, and website in this browser for the next time I comment. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started. Figures for Movie Mode represent total capacity of the particular media.Canon, DIGIC, ELPH, PIXMA, and PowerShot and SELPHY are registered trademarks of Canon Inc.Mac is a trademark of Apple, Inc., registered in the United States and other countries.

http://www.decor-ada.com/images/c1-94-service-manual.pdf



Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size The Product purchased with this limited warranty is the only PowerShot Digital Camera to which this limited warranty applies. Warranty exchange or replacement does not extend the original warranty period of the Product. The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof. This limited warranty covers all defects encountered in normal use of the Products, and does not apply in the following cases A Canon Customer Care representative will attempt to diagnose the nature of the problem and correct it over the telephone. If the problem cannot be corrected over the telephone, you will be asked to follow the applicable procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. You will be given the name, address and phone number of an authorized service center. It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include any other items with the defective Product. The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the authorized service center. Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaired, or at the discretion of the authorized service center, you may receive a written estimate of repair at such cost as the service center may establish from time to time.

### http://demenagementlandry.com/images/c110-honda-manual.pdf



Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the

Canon Online Store It allows viewing of recorded images from the Canon Powershot Digital Cameras.Effectively doubles the flash range of the camera. Comes with mounting bracket.The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. This is why we provide the Table of Content below. With this Table of Content, you can go to certain part of this writing about CANON POWERSHOT SD1200 IS Manual User Guide simply by clicking on the sub topic below. Contents show 1 The Introduction to CANON POWERSHOT SD1200 IS Manual 1.1 Overall Look of Canon PowerShot SD1200 IS Manual 1.2 The Specification of Canon PowerShot SD1200 IS 1.2.1 The Quick Specification of Canon PowerShot SD1200 IS 1.3 The Price and Impression of Canon PowerShot SD1200 IS 2 The CANON POWERSHOT SD1200 IS Manual Used Guide PDF The Introduction to CANON POWERSHOT SD1200 IS Manual When it comes to the guestion of what is the most important part of an electronic product especially digital camera product, we say it is the manual. It is because with the manual, both users and enthusiast will be able to get the needed information about a certain product. With this manual too, the learning process upon the camera product is started. So, we can say that manual is the best reference when we want to understand the digital camera product. This is what motivates us to bring CANON POWERSHOT SD1200 IS Manual User Guide here, with this manual we hope that we can help you understanding this Canon camera product better than before.

Overall Look of Canon PowerShot SD1200 IS Manual It is generally known that look is something important that becomes a consideration for people in buying digital camera product. With the look, People can instantly attracted to a certain digital camera product. More than that, sometimes the choice of camera look is also reflecting the personality of owner as well as the classiness of the camera itself. So, before we hit the CANON POWERSHOT SD1200 IS Manual User Guide directly, now we are going to talk about the look of this camera first. Cheerful! This may be the most suitable word to describe this product. It is said so since Canon PowerShot SD1200 IS comes with so many vivid cases. Let's say yellow, pink, green, blue, orange, and silver are ready to represent your soul through camera. With glossy metal touch on the lens ring, you can't deny its expensive and professional nuance. As a compact camera, it is a must that the SD1200 IS is built in small and slim body. Based on the Canon PowerShot SD1200 IS manual, tthis camera comes at 89 x 55 x 22 mm and 120 gram of overall weight, this is truly a compact one. Well, everything seems built very well and ready to be your pride. The Specification of Canon PowerShot SD1200 IS Canon should be proud of being one of the most legendary camera developers in different era. Now they come with their compacts' PowerShot series to fulfil the need of simple and practical camera. Introducing Canon PowerShot SD1200 IS, a sweet little camera with stylish design and responsive performance. Get to know more about this product as detailed below. Not only attract you by its breathtaking appearance, Canon PowerShot SD1200 IS is ready to amaze you by its performance. It starts by 10 MP CCD image sensor to become the main key in resulting tons of best images. Further, Canon PowerShot SD1200 IS manual also says that now you can enjoy best resolution at 3648 x 2736 or 640 x 480 Motion JPEG video format live from this cute camera.

# $\label{eq:http://c2mag.com/wp-content/plugins/formcraft/file-upload/server/content/files/16272a211d969c---break barrier and the server of th$

On the focus and optic, the SD1200 IS is equipped by 35105 mm focal length lens with maximum aperture at f2.84.9. The autofocus mode supports live view, face detection, and multiarea detection, so it will be easy for you to get perfect focusing. This lens type is also doing 4X Digital Zoom very well without reducing the pixels quality. For beginners, you don't need to worry since the settings are easy to set live from its 2.5" LCD Display. You are able to set the ISO settings, white balance, custom balance, JPEG quality levels, and even the flash modes. This panel is constructed by 230.000

active dots and this is the part of camera you will comfortable with. Daniel M, one of the users, said that he falls in love with this camera for its long lasting battery, sharp picture, and userfriendly menus. This is the right time for you to make a good investment. Get Canon PowerShot SD1200 IS now at 230 USD and be ready for new life experience. Read another review of this camera in this page. The CANON POWERSHOT SD1200 IS Manual Used Guide PDF As it is stated at the beginning of this article, the aim of providing this writing is to bring the CANON POWERSHOT SD1200 IS Manual. This is the manual that will give you the information related to the specification, features, operation, instruction, camera manual, and others. So, for you who want to look for information regarding to this Canon camera product, referencing to the manual below will be the best thing to do. To give you the better access, we will provide the manual in PDF. So, before reaching out to the manual, it will be better if you download the PDF reader software first. Download Canon Camera PowerShot SD1200 IS Manual. We hope that the information related to the CANON POWERSHOT SD1200 IS Manual. We hope that the information below could be beneficial to update your understanding toward this camera product. If you have any thoughts about this product in general, we welcome you to put them in the comment session below.

And if you find this information is useful, sharing this article in your personal page will be so much appreciated. By continuing to use this website, you agree to their use. Please consider supporting us by disabling your ad blocker. Refresh. PowerShot SD1200 IS. The Canon PowerShot SD1200 IS offers 10.0 megapixels sensor, a 2.5inch Manual Mode, No. User manual for the device Canon PowerShot SD1200 IS. Related Manuals for Canon SD1200 IS. Digital Camera Canon 3508B001 PowerShot D10 Digital Camera Software Starter Manual. Camera User Guide This Guide For Canon Customer Support contacts, please see the customer. Camera User Manual PowerShot ASeries.Reload to refresh your session. Reload to refresh your session. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your problem with Canon PowerShot SD1200 IS. To start viewing the user manual Canon PowerShot SD1200 IS on full screen, use the button Fullscreen. However, if you do not want to take up too much of your disk space, you can always download it in the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Canon PowerShot SD1200 IS but the selected pages only. paper. If you want to guickly view the content of pages found on the following pages of the manual, you can use them. If anything is missing, contact the retailer from which you purchased the camera. After installation, shortcut icons appePlease note that Canon Inc., its subsidiaries and affiliates, and its distributors are not liable for any consequential damages arising from any malfunction of a camera or accessory, including memory cards, that results in the failure of an image to be recorded or to be recorded in a way that is machine readable. Warning Against Copyright Infringement The images recordChecking the Package Contents.

2 Returning the Camera to Default Settings. 48 Read This First.3 Low Level Memory Card What Do You Want to Do.4 Formatting. 49 Safety PrecautionCaution Denotes the possibility of In the event that a battery leaks and the eyes, mouth, The latter part of this chapter explains how to shoot and view movies and transfer images to a computer. Be sure thaRemove the cover. Insert the battery. Align the marks on the battery and charger, then insert the battery by sliding it in and down. Charge the battery. For CB2LY Flip out the plug and plug the charger into a power outlet. For CB2LYE Plug the power cord into the charger, then plug the other end into a power outlet. The charge lamp lights red and charging starts. The charge lamp will light green when chaDisplay Summary Good. Slightly depleted,Check the card's writeprotect tab. If the memory card has a writeprotect tab, you will not be able to record images if the tab is in the locked position. Slide the tab up until you hear a click. Open the cover. Slide the cover, and open it. Insert the battery. Insert the battery as shown until it locks into place with a click. Be sure to insert the battery in the correct directioRemoving the Battery and Memory Card Remove the battery. Open the cover and press the battery lock in the direction of the arrow. The battery will pop up. Remove the memory card. Push the memory card in until you hear a click, then slowly release it. You can check the number of shots that can be taken when the camera is in a Shooting Mode p. 22. Number of shots that can be taken Compatible Memory CarTurn on the camera. Press the power button. Set the date and time. Press the qr buttons to select an option. Press the op buttons to set a value. Change the date and time. Follow Steps 2 and 3 on p. 17 to adjust the setting. To close the menus, press the n button. Set the playback mode. Press the 1 button. Display the settings screen. Press and hold the m button, then press the n button.

Set the display language. Press the opgr buttons to select a language, then press the m button. Once the display language has been set, the language menu will close. You can also change the display language by pressing the n button, selecting the 3 tab, Formatting initializing a memory card erases all data on the memory card. As you cannot retrieve the erased data, exercise adequate caution before formatting the memory card. OtherChanging Functions.108 Changing Shooting Functions.111 Changing Playback Functions.114Charging takes approx. 1 hour and 55 minutes. This is a normal characteristic of the battery and does not indicate a problem. Insert the included battery and a memory card into the camera. Check the cards writeprotect tab.Removing the Battery and Memory Card. Remove the battery.X The battery will pop up.Approximate Number of Shots per Memory Card. Memory Card Number of shots 2 GB 749 8 GB 2994. Turn on the camera. Set the date and time. You can change the language displayed in the LCD monitor menus and messages. Set the playback mode. Display the settings screen. Formatting initializing a memory card erases all data on the memory card. Display the menu. To take images that are in focus, be sure to first press the shutter button lightly halfway to focus, then take the shot. Press halfway lightly to the first stop. X The camera focuses and automaticallyThe camera can also detect and focus on faces, setting the color and brightness to optimal levels. Turn on the camera.What if.X The camera will play the shutter soundX The indicator will blink green while the image is recorded to the memory card.Dark. When Using TripodPressing the 1 button while the camera is off turns the camera on in playback mode. Pressing the shutter button halfway while in playback mode elapses. If you press the 1 button with the lens retracted, the power will turn off. You can select and erase images one at a time. Please note that erased images cannot be recovered.

X The last image you took will appear. Select an image to erase. For connection details, refer to the user guide provided with the printer. Turn on the printer. Turn on the camera. X will appear. Select an image to print. Refer to the Personal Printing Guide on the best ways to print. CanonBrand PictBridge Compliant Printers Sold SeparatelyMoving the lever toward j will zoom out from your subject, making it appear smaller. MicrophoneX The camera will beep once and stopSelect the playback mode. X The last image you shot will appear. X appears on movies. Select a movie.System Requirements. Even though these are recommended system requirements, not all computer functions can be guaranteed. Windows. Install the software. WindowsPlace the DIGITAL CAMERA Solution Disk in the computers CDROM drive. For connection details, refer to the user quide provided with the computer. Open CameraWindow.Software Starter Guide.AC Adapter Kit ACKDC40. DC Coupler DR40. Power Cord. Compact Power Adapter CADC10. Audio IN Terminal. Memory Card. Waterproof Case WPDC29HighPower HFDC1. Use of genuine Canon accessories is recommended. Recommended for powering the camera for an extended period of time or when connecting to a computer. Conventions Used in this Guide. Right button Left button Down buttonYou can change the display using the l button. High. Low Dark Bright. Power Saving Function Auto Power Down. To save battery power, the camera shuts down automatically when it is not operated for a certain time.Commonly used shooting functions can be set with the FUNC. menu. The menu and menu items differ depending on the Shooting mode p. 122. Select a shooting mode.Display the FUNC. menu. X Press the m button. Various functions can be set from the menus. The menu items are organized under tabs, such as for shooting 4 and playback 1. The menu items differ depending on the mode pp. 124 127. Select a tab. You can silence or adjust the volume of camera sounds.

Muting Sounds.

About low level formattingU Shoot sunsets SunsetWaterproof Case WPDC29 sold separately.O Take shots of foliage Foliage. What if the indicator blinks orange and a flashing appears When you press the shutter button halfway in low light conditions where camera shake is likely, the indicator will blink orange and a flashing will appear on the screen. Turning off the digital zoom. The selftimer can be used to shoot a group photo that includes the camera operator. The camera will activate approximately 10 seconds after the shutter button is pressed. Press the p button. You can change the delay time and number of shots taken p. 72. Compose the shot and press the shutter button halfway.Press the shutter button fully. Selecting Settings Yourself. You can select the settings for various functions to suit your preferences. AE stands for Auto Exposure. Set the mode switch to 4 p. 40.You can shoot landscapes and far away subjects. The focusing range is 3 m 9.8 ft. and greater from the camera. Select u.X Once set, u will appear.X The camera will zoom in and the zoomX The setting you selected will display on. If you select, you cannot use the Digital Zoom p. 56 or Digital TeleConverter p. 57. Changing the Image Quality Compression Ratio. Approximate Values for Paper SizeShoot. X As long as you hold the shutter buttonCustom White Balance. Sepia tones. X The setting you selected will display on. Black and white. Custom Color You can adjust the tone of the image OThe contrast, sharpness, color saturation, red, green, blue, and skin tones in an image can be selected and set from 5 different levels. You can set the selftimer to a delay of approximately two seconds. If you want to save battery power, you can use the viewfinder for shooting, instead of the screen. Shooting procedures are the same as when using the screen. The focus can be locked.Compose the scene and shoot.

You can make the main subject, such as people, appear bright by having the camera provide the appropriate illumination with the flash. The camera can automatically detect and compensate for faces or subjects that appear dark in certain shooting conditions. You can automatically correct red eves in images taken with the flash. Adjust the setting. However, you should attach the camera to a tripod to prevent the camera from moving and blurring the image.Move the zoom lever toward g. X Images will display in an index. TheSelect an image. Jump 100 ImagesJumps to a movie. X The camera will use the selected searchViewing Slideshows. You can automatically play back images recorded to a memory card. Each image displays for approximately 3 seconds. X A gray frame will appear on a face detected during playback. X The area within the orange frame appears magnified.Change the magnification level or location. Move the zoom lever toward k. Items to Prepare. Turn off the camera and TV. Connect the camera to the TV. White or black Yellow Yellow BlackProtected images cannot be erased with the cameras erase function. To erase an image, cancel protection first.Erase all images. You can change the orientation of an image and save it. Rotate the image. You can resize images to a lower pixel setting and save the resized image as a separate file. Select an image. Detects and compensates for dark sections of subjects or peoples faces and saves the image as a separate file. You can then print all the selected images at once or take the memory card to a photo developer to order prints. These selection methods comply with the DPOF Digital Print Order Format standards. Print Settings. Set the number of prints.Print Added Images. The following examples use the Canon SELPHY series printers. Please also refer to the Personal Printing Guide. Number of copies to print. Connect the camera to the printer p. 27. Print.You can customize various functions to suit your shooting preferences.

https://www.becompta.be/emploi/bosch-refrigerators-manual